U. S. BUREAU OF MINES
BARTLESVILLE, OKLAHOMA
JAN 20 '56

DEDICATED TO OKLAHOMA'S DEVELOPMENT



PUBLISHED IN THE OFFICE OF THE
OKLAHOMA GEOLOGICAL SURVEY
NORMAN, OKLA.

Vol. 15
No. 7

July, 1955

PUBLICATIONS ON OKLAHOMA GEOLOGY, 1954

The following list is arranged alphabetically by authors. It gives the title, journal, and pages of all published papers on Oklahoma geology issued in the calendar year 1954. The Hopper expects to give a similar list each year and hopes to issue it in March of succeeding years.

Compiled by Francis D. Taaffe

Alexander, R. D., Desmoinesian fusulinids of northeastern Oklahoma. Okla. Geol. Survey, Circ. 31, 67 pp., 4 pls.

Allen, Albert E., Jr., The subsurface geology of Woods and Alfalfa Counties, northwestern Oklahoma. Shale Shaker, vol. 4, no. 8, pp. 5-21, 23-26.

Ardmore Geological Society, Southern part of Oklahoma Coal Basin. Ardmore Geol. Society, Guide Book, 29 pp., map.

Barclay, J. E., Origin of the Drummond Flat, Garfield County, Oklahoma. Okla. Acad. Science, Proc. for 1952, vol. 33, pp. 197-199, map.

Beach, J. O., New information on structure of the Hugo Syncline. Okla. Acad. Science, Proc. for 1952, vol. 33, p. 209.

Bennison, Allen P., Target limestone, new member of Springer formation, Carter County, Oklahoma. Amer. Assoc. Petroleum Geologists, Bull., vol. 38, pp. 913-914, fig. on p. 915.

Beroni, E. P., Reconnaissance for uranium in the United States. South-central district, Oklahoma. U. S. Atomic Energy Comm., Trace Elements Invest., no. 440, pp. 170-171.

Bokman, John, Relative abundance of common sediments in Anadarko Basin of Oklahoma. Amer. Assoc. Petroleum Geologists, Bull., vol. 38, p. 648-654.

Branson, Carl C., Desmoinesian rocks of northeastern Oklahoma. Okla. Geol. Survey, Guide Book II, 41 pp.

_____, The Red Beds of Oklahoma. Shale Shaker, vol. 4, no. 6, pp. 7, 12.

_____, Marker beds in the lower Desmoinesian of northeastern Oklahoma. Okla. Acad. Science, Proc. for 1952, vol. 33, pp. 190-194.

Buckhannan, W. H., Soil survey of Cleveland County, Oklahoma. U. S. Dept. Agri., Series 1942, No. 7, 68 pp., map in box.

Burwell, Albert L., Lightweight aggregate from certain Oklahoma shales. Okla. Geol. Survey, Mineral Report 24, 20 pp.

Busch, Daniel A., Deltas signigicant in subsurface exploration. (Part 1), World Oil, vol. 139, no. 7, pp. 95-98, 106. (Part 2 was published in Jan., 1955).

Chase, Gerald W., Permian conglomerate around Wichita Mountains, Oklahoma. Amer. Assoc. Petroleum Geologists, Bull., vol. 38, p. 2028-2035, map.

_____, Occurrences of radioactive material in sandstone lenses of southwestern Oklahoma. Okla. Geol. Survey, Mineral Report 26, 7 pp., map.

Dana, George F., The subsurface geology of Grant County, Oklahoma. Shale Shaker, vol. 4, no. 10, pp. 4-7, 10-21, 28.

Devonshire, Peggy Frances, A faunal study of the Pumpkin Creek limestone member of the Big Branch formation in the Ardmore area. Shale Shaker, vol. 5, no. 1, pp. 5-16, 21-22, 11 pls. map.

Disney, Ralph W., Anadarko Basin's east flank promising. World Oil, vol. 138, no. 1, pp. 77-78, 80-82.

Evans, O. F., The Doe Creek sandstone. Okla. Acad. Science, Proc. for 1952, vol. 33, pp. 196-197.

Ford, William J., The subsurface geology of southwest Logan County, Oklahoma. Shale Shaker, vol. 5, no. 2, pp. 5-19, 24-27.

Hail, W. J., Jr., Asphaltic rocks in the western states. U. S. Atomic Energy Comm., Trace Elements Invest., no. 440, pp. 142-145.

Ham, William E., Collings Ranch conglomerate, late Pennsylvanian, in Arbuckle Mountains, Oklahoma. Amer. Assoc. Petroleum Geologists, Bull., Vol. 38, pp. 2035-2045.

_____, Algal origin of the "Birdseye" limestone in the McLish formation. Okla. Acad. Science, vol. 33, p. 200-203.

Hamilton, W. B., Pre-Cambrian rocks of Wichita and Arbuckle Mountains, Oklahoma (abstract). Geol. Soc. Amer., Bull., vol. 65, pp. 1259-1260.

Harbeck, G. Earl, Jr., Max A. Kohler, and C. G. Paulsen, Water-loss investigations: Lake Hefner studies, base data report. U. S. Geol. Survey, Professional Paper 270, 300 pp.

_____, P. E. Dennis, Frank W. Kennon, Lloyd J. Anderson, J. J. Marciano, and Max A. Kohler. Water loss investigations: Lake Hefner studies, technical report. U. S. Geol. Survey, Professional Paper 269, 158 pp.

Hibbard, Claude W., A new Pliocene vertebrate fauna from Oklahoma. Mich. Acad. Science, Arts, and Letters, Papers, vol. 33, pp. 339-359.

Hill, J. W. Uraniferous asphaltic materials of southwestern Oklahoma. (abstract). Geol. Soc. Amer. Bull., vol. 65, p. 1377.

Huang, W. F., and C. A. Merritt, Petrography of the troctolite of the Wichita Mountains, Oklahoma. Amer. Mineralogist, vol. 39, pp. 549-565.

_____, Petrofabric analysis of the banded gabbroic rocks in the Wichita Mountains. (abstract). Geol. Soc. Amer., Bull., vol. 65, p. 1265.

Jacobsen, Lynn, Petrology of Springer oil-bearing sandstone. (S.E.P.M. abstract) Oil and Gas Journal, vol. 52, no. 50, April 19, 1954, pp. 206-207.

Kornfeld, Joseph A., New gas pays for Hugoton field. Oil and Gas Journal, vol. 52, no. 35, Jan. 4, 1954, p. 125.

_____, Drilling along the Wichita Mountain front. Oil and Gas Journal, vol. 52, no. 43, March 1, 1954, pp. 89-90.

Lee, Wallace, Earthquake and Nemaha Anticline. Amer. Assoc. Petroleum Geologists, Bull., vol. 38, pp. 338-340.

Link, T. A., Introduction to oil and gas geology of the Great Plains region. (abstract). Amer. Assoc. Petroleum Geologists, Bull., vol. 38, pp. 1302-1303.

Lohman, S. W., and Y. M. Burtis, Areas of principal ground water investigations in the Arkansas, White, and Red River basins. Latitude, 31° to 39°; longitude, 91° to 106°, U. S. Geol. Survey, Hydrologic Invest., Atlas HA2, 1954.

_____, General availibility of ground water and depth to ground water level in the Arkansas, White, and Red River basins. Latitude, 31° to 39°; longitude, 91° to 106°, U. S. Geol. Survey, Hydrologic Invest., Atlas HA3, 1954.

Logue, L. L., Gravity anomalies of Texas, Oklahoma, and the United States. Oil and Gas Journal, vol. 52, no. 50, April 19, 1954, p. 132-133.

McCaslin, John C., New oil province for Oklahoma? Oil and Gas Journal, vol. 52, no. 41, Feb. 15, 1954, pp. 218-219.

_____, Three discoveries spur search for Pennsylvanian oil in Hugoton embayment. Oil and Gas Journal, vol. 52, no. 50, April 19, 1954, pp. 252-253.

McKinley, Myron E., Stratigraphy of the Vanoss formation in the western Arbuckle Mountains. Okla. Acad. Science, Proc. for 1952, vol. 33, pp. 205-207.

McLaughlin, Dean B., Suggested extension of the Grenville orogenic belt and the Grenville front. Science, vol. 120, Aug. 20,1954, pp. 287-288.

Maravich, Milan D., Developments in Oklahoma in 1953. Amer. Assoc. Petroleum Geologists, Bull., vol. 38, pp. 1120-1131.

Merritt, C. A., Mineralogy of the miarolitic cavities of the granites, Wichita Mountains, Oklahoma. Okla. Acad. Science, Proc. for 1952, vol. 33, pp. 189-190.

Monnett, V. E., The geological architecture of Oklahoma. Shale Shaker, vol. 4, no. 8, pp. 28-29.

Morrisey, Norman S., Oil Creek-rich pay zone for southern Oklahoma. Oil and Gas Journal, vol. 53, no. 7, June 6, 1954, p. 215.

_____, Shallow pay spurs Osage drilling. Oil and Gas Journal, vol. 53, no. 24, Oct. 18, 1954, p. 166.

_____, Sands, once bypassed, make Oklahoma hottest area in nation. Oil and Gas Journal, vol. 53, no. 31, Dec. 6, 1954. p. 76.

Moore, Carl A., Cross-section of the Simpson group from Murray County to Cleveland County, Oklahoma. Okla. Acad. Science, Proc. for 1952, vol. 33, pp. 199-200.

Netzeband, F. F., W. E. Ham, and J. H. Warren, Mineral industry of Oklahoma in 1952. Okla. Geol. Survey, Mineral Report 25, 26 pp.

Oakes, Malcolm C., The unconformity at the base of the Barnsdall formation in Oklahoma. Okla. Acad. Science, Proc. for 1952, vol. 33, pp. 203-205.

Reed, Edwin W., and Schoff, S. L., Aquifers in Ottawa County, Oklahoma. Okla. Acad. Science, Proc. for 1952, vol. 33, pp. 194-196.

Riggs, C. H., J. E. Wey, and J. W. Mande, Petroleum engineering study of Flat Rock oil field, Osage County, Oklahoma. U. S. Bureau of Mines, Report of Invest. 5018, (1954).

Robertson, Forbes, Deuteric differentiation of gabbro at Mount Sheridan, Wichita Mountains, Oklahoma. (abstract). Geol. Soc. Amer., Bull., vol. 65, p. 1349.

Rutledge, Richard B., The Velma oil field, Stephens County, Oklahoma. Tulsa Geol. Soc., Digest, vol. 22, pp. 40-52.

Sallee, Warren L., and Fred E. Rugg, Artificial formation fracturing in southern Oklahoma and north-central Texas. Tulsa Geol. Soc., Digest, vol. 22, pp. 53-70.

Shaw, Richard F., Jr., A subsurface study of the post-Morrowan series of the Pennsylvanian system of Township 2 South, Range 3 West, Carter County, Oklahoma. Shale Shaker, vol. 5, no. 3, pp. 5-18, 20-24, 26-29, 32, 34-35.

Sloss, L. L., and E. C. Dapples, Sedimentary characteristics of producing zones in West Brock area, Carter County, Oklahoma. (S.E.P.M. abstract), Oil and Gas Jour., vol. 52, no. 50, April 19, 1954, p. 206.

_____, Sedimentary characteristics of producing zones in West Brock area, Carter County, Oklahoma. (abstract) Jour. Sedimentary Petrology, vol. 24, no. 2, p. 130.

Smith, C. Lavett, Pleistocene fishes of the Berends fauna of Beaver County, Oklahoma. Copeia, 1954, no. 4, pp. 282-289.

Steele, C. E., and York, Katherine. Water levels and artesian pressures in observation wells in the United States in 1951. Part 4. South-Central states. Oklahoma. U. S. Geol. Survey, Water-Supply Paper 1194, pp. 83-133.

Strachen, C. G., Crinoidal bioherm in the St. Joe limestone in northeastern Oklahoma. Tulsa Geol. Soc., Digest, vol. 22, pp. 135-136.

Strimple, Harrell L., New species of Plummericrinus. Jour. Paleont., vol. 28, pp. 204-207, pl. 23.

_____, Two new crinoid species from the Henryhouse of Oklahoma. Wash. Acad. Sciences, Jour., vol. 44, no. 9, Sept. 1954.

Swesnik, R. M., Structural map of Oklahoma, by Robert R. Wheeler (review). Amer. Assoc. Petroleum Geologists, Bull., vol. 38, pp. 344—345.

Tanner, William F., Lake Altus wave-cut surface in the Wichita Mountains area, Oklahoma. Science, vol. 120, no. 3119, Oct. 8, 1954, p. 571.

_____, Stratigraphic position of the Hilltop formation of Oklahoma. Shale Shaker, vol. 4, no. 5, pp. 4-5, 8—9.

_____, Tectonic and paleogeographic inferences from low-dip unconformities. Amer. Assoc. Petroleum Geologists, Bull., Vol. 38, pp. 886-899.

_____, Wave-cut erosion surface in the Wichita Mountains, Oklahoma. Shale Shaker, vol. 5, no. 4, pp. 5-11.

Taylor, Dwight W., A new Pleistocene fauna and new species of fossil snails from the high plains. Mich. Univ. Museum of Zoology, Occasional Papers, no. 557.

Totten, Robert B., Developments in Texas and Oklahoma Panhandles in 1953. Amer. Assoc. Petroleum Geologists, Bull., vol. 38, pp. 1132-1138.

_____, Palo Duro Basin, Texas. Amer. Assoc. Petroleum Geologists, Bull., vol. 38, pp. 2049-2051.

Tulsa Geological Society, Tulsa-Woolaroc-Bartlesville, Geology and biology road log north and east of Tulsa, Oklahoma. Tulsa Geol. Society, Guide Book, 57 pp., maps.

Wallace, Don Lee, Subsurface geology of the Chitwood area, Grady County, Oklahoma. Shale Shaker, vol. 4, no. 7, pp. 5-20, 22-23, 26-27.

Walper, Jack L., An exhumed fossil karst surface. Okla. Acad. Science, Proc. for 1952, vol. 33, pp. 210-214.

Wayland, John R., Baum limestone member of Paluxy formation, lower Cretaceous, southern Oklahoma. Amer. Assoc. Petroleum Geologists, Bull., vol. 38, pp. 2400-2406.

Weirich, T. E., Shelf principle of oil origin migration, and accumulation. Proc. Third Subsurface Geological Symposium, pp. 53-54, 3 maps.

Whittington, Harry B., New Ordovician graptolite from Oklahoma. Jour. Paleont., vol. 28, no. 5, pp. 613-621, pl. 63.

Williams, Vernon L., Subsurface geology of the Bayou field, Carter County, Oklahoma. Shale Shaker, vol. 4, no. 9, pp. 5-7, 10-21, 28.

Wilson, James L., Ordovician stratigraphy in Marathon folded belt, west Texas. Amer. Assoc. Petroleum Geologists, Bull., vol. 38, pp. 2455-2475.