

BIBLIOGRAPHY AND INDEX OF OKLAHOMA GEOLOGY, 1980

Compiled by
Elizabeth A. Ham

Oklahoma Geological Survey
Charles J. Mankin, Director
The University of Oklahoma
Norman, Oklahoma
1982

Special Publication Series

The Oklahoma Geological Survey's Special Publication series is designed to bring new geologic information to the public in a manner efficient in both time and cost. The material undergoes a minimum of editing and is published for the most part as a final, author-prepared report.

Each publication is numbered according to the year in which it was published and the order of its publication within that year. Gaps in the series occur when a publication has gone out of print or when no applicable publications were issued in that year.

This publication, printed by The University of Oklahoma Printing Services, is issued by the Oklahoma Geological Survey as authorized by Title 70, Oklahoma Statutes, 1971, Section 3310, and Title 74, Oklahoma Statutes, 1971, Sections 231–238. 1,000 copies have been prepared for distribution at a cost to the taxpayers of the State of Oklahoma of \$3,458.

BIBLIOGRAPHY AND INDEX OF OKLAHOMA GEOLOGY, 1980¹

Compiled by Elizabeth A. Ham²

Bibliography

1. Alipouraghtapeh, Samad, 1979, Geochemistry of major and trace elements of the "Raggedy Mountain Gabbro Group," Wichita Mountains, Oklahoma: Oklahoma State University unpublished M.S. thesis, 116 p., 11 figs., 3 pls., 18 tables. (Abstract printed in Oklahoma Geology Notes, v. 41, p. 60–61.)
2. Allen, R. F., 1980, Uranium potential of the Cement district, southwestern Oklahoma: Oklahoma State University unpublished M.S. thesis. (Abstract printed in Oklahoma Geology Notes, v. 41, p. 61.)
3. Allen, S. J., 1980, Seismic method: Geophysics, v. 45, p. 1619–1633, 3 figs. (History of reflection seismograph.)
4. Al-Shaieb, Zuhair, Hanson, R. E., Donovan, R. N., and Shelton, J. W., 1980, Petrology and diagenesis of sandstones in the Post Oak Formation (Permian), southwestern Oklahoma: Journal of Sedimentary Petrology, v. 50, p. 43–50, 4 figs.
- Al-Shaieb, Zuhair, *see* Cox, Roy
Al-Shaieb, Zuhair, *see also* Hanson, R. E., and Al-Shaieb, Zuhair
American Gas Association, *see* American Petroleum Institute, American Gas Association, and Canadian Petroleum Association
5. American Petroleum Institute, American Gas Association, and Canadian Petroleum Association, 1979, Reserves of crude oil, natural gas liquids, and natural gas in the United States and Canada as of December 31, 1978: 252 p., charts, maps, tables.
6. American Petroleum Institute, American Gas Association, and Canadian Petroleum Association, 1980, Reserves of crude oil, natural gas liquids, and natural gas in the United States and Canada as of December 31, 1979: 253 p., 2 charts, 5 maps, tables.
7. Ampian, S. G., 1980, Clays, *in* Metals and minerals, v. 1 of Minerals yearbook 1978–79. U.S. Bureau of Mines, p. 207–247, 3 figs., 32 tables.
8. Amsden, T. W., 1980, Hunton Group (Late Ordovician, Silurian, and Early Devonian) in the Arkoma Basin of Oklahoma: Oklahoma Geological Survey Bulletin 129, 136 p., 26 figs., 4 panels, 12 pls.
9. Amsden, T. W., 1980, *Kirkidium* biofacies of Henryhouse Formation (Silurian), central Oklahoma subsurface: Oklahoma Geology Notes, v. 40, p. 218. (Cover-photo description.)
10. Anderson, E. G., 1980, Regional patterns of the Woodbine–Tuscaloosa (Northern Coastal Region): Gulf Coast Association of Geological Societies Transactions, v. 30, p. 35–39, 2 figs. (Includes Ouachita Mountains.)
11. Anno, P. D., 1980, An application of the compressional and shear-wave synergism to the detection of changes in rock properties in Kingfisher County, Oklahoma: University of Oklahoma unpublished M.S. thesis, 113 p., 33 figs.
12. Arbenz, J. Kaspar, 1980, Fresh look at some Ouachita problems [abstract]: American Association of Petroleum Geologists Bulletin, v. 64, p. 670. (Reprinted in Oklahoma Geology Notes, v. 40, p. 201–202.)
- Armstrong, D. G., *see* Loring, A. K., and Armstrong, D. G.
13. Atkins, R. L., 1978, Oklahoma, *in* Exploration (Review of 1977), pt. 1 of International Oil and Gas Development, v. 48: International Oil Scouts Association, p. 256–275, figs., tables.
14. Avis, L. E., and Booth, D. R., 1980, Promising Morrow sandstone discoveries in southeastern Colorado [abstract]: American Association of Petroleum Geologists Bulletin, v. 64, p. 672–673. (Includes Anadarko Basin; reprinted in Oklahoma Geology Notes, v. 40, p. 202.)
15. Axtmann, T. C., 1980, Structural mechanisms and oil accumulation along the Wayne Fault, south central Oklahoma [abstract]: Oklahoma Geology Notes, v. 40, p. 210. (Reprinted from program of student papers presented at 1980 AAPG–SEPM–EMD annual meeting.)
16. Babael, Abdolali, 1980, The structural geology of part of the Limestone Hills in the Wichita Mountains, Caddo and Comanche Counties, Oklahoma: Oklahoma State University unpublished M.S. thesis, 63 p., 23 figs., 3 pls., 1 table. (Abstract printed in Oklahoma Geology Notes, v. 41, p. 62.)
- Bakker, R. T., *see* Dodson, Peter, Behrensmeyer, A. K., Bakker, R. J., and McIntosh, J. S.
17. Ballard, D. W., 1980, A compressional and shear-wave seismic refraction study for near-surface earth layers in northwestern Oklahoma: University of Oklahoma unpublished M.S. thesis, 139 p., 16 figs., 5 tables.
- Bard, C. S., *see* Butz, T. R., Switek, J., Rutledge, D. A., Bard, C. S., Helgerson, R. N., and Grimes, J. G.
18. Barrett, Christopher, 1980, A gravity and magnetic study of the Kingfisher anomaly, north-central Oklahoma: University of Oklahoma unpublished M.S. thesis, 45 p., 10 figs., 2 pls.
- Barrett, C. M., *see* Danbom, S. H., Barrett, C. M., and Santiago, D. J.
19. Bartley, J. W., 1979, A numerical analysis of *Fistulipora* (Bryozoa) from the Henryhouse Formation (Silurian) in southcentral Oklahoma: University of Oklahoma unpublished M.S. thesis, 78 p., 5 figs., 4 pls., 7 tables.
20. Bartley, J. W., 1980, Phenetic analysis of *Fistulipora* (Bryozoa) from the Henryhouse Formation (Silurian) of southcentral Oklahoma [abstract]: Geological Society of America Abstracts with Programs, v. 12, p. 218–219. (Reprinted in Oklahoma Geology Notes, v. 40, p. 73.)
21. Baskin, G. D., 1980, Abrasive materials, *in* Metals

¹ Includes some earlier listings.

² Associate editor, Oklahoma Geological Survey.

- and minerals, v. 1 of Minerals yearbook 1978-79: U.S. Bureau of Mines, p. 27-41, 14 tables. (Includes Oklahoma tripoli.)
22. Bauernfeind, P. E., 1980, The Misener Sandstone in portions of Lincoln and Creek Counties, Oklahoma: University of Oklahoma unpublished M.S. thesis, 72 p., 10 figs., 15 pls., 3 tables.
 23. Bauernfeind, P. E., 1980, The Misener Sandstone in portions of Lincoln and Creek Counties, Oklahoma, part 1: Shale Shaker, v. 30, p. 173-185, 3 figs., 8 pls.
 24. Bauernfeind, P. E., 1980, The Misener Sandstone in portions of Lincoln and Creek Counties, Oklahoma, part 2: Shale Shaker, v. 30, p. 188-197, figs. 4-7, pls. 9-11.
 25. Bauernfeind, P. E., 1980, The Misener Sandstone in portions of Lincoln and Creek Counties, Oklahoma, part 3: Shale Shaker, v. 30, p. 204-210, pls. 14-15.
 - Behrensmeier, A. K., see Dodson, Peter, Behrensmeier, A. K., Bakker, R. T., and McIntosh, J. S.
 26. Berendsen, Pieter, 1980, Use of drill hole information in the search for metallic mineral accumulations, eastern Kansas [abstract]: Geological Society of America Abstracts with Programs, v. 12, p. 1-2. (Includes Tri-State district.)
 - Berendsen, Pieter, see Ripley, E. M., Lambert, M. W., and Berendsen, Pieter
 - Bernard, B. B., see Silver, B. A., Bernard, B. B., and Drexler, Timothy
 27. Bingham, R. H., and Bergman, D. L., 1980, Reconnaissance of the water resources of the Enid Quadrangle, north-central Oklahoma: Oklahoma Geological Survey Hydrologic Atlas 7, 4 sheets, including geologic map, most at scale of 1:250,000.
 28. Blake, D. F., Peacor, D. R., and Wilkinson, B. H., 1980, New evidence concerning low-temperature dolomite formation: analyses of calcian dolomites from a Pennsylvanian echinoderm [abstract]: American Geophysical Union Transactions, E&S, v. 61, p. 400. (Study of fossil material from Buckhorn asphalt.)
 29. Blatt, Harvey, and Totten, M. W., 1980, Distance from shoreline in unfossiliferous marine mud-rocks [abstract]: Geological Society of America Abstracts with Programs, v. 12, p. 388. (Concerns Blaine Formation; reprinted in Oklahoma Geology Notes, v. 41, p. 34-35.)
 30. Bloch, Salman, 1980, Ogallala ash outcrop in Ellis County: Oklahoma Geology Notes, v. 40, p. 122. (Cover-photo description.)
 31. Bloch, Salman, and Johnson, K. S., 1980, Distribution and alteration of Ogallala volcanic-ash deposits and their possible relation to uranium mineralization in western Oklahoma [abstract]: American Association of Petroleum Geologists Bulletin, v. 64, p. 677-678. (Reprinted in Oklahoma Geology Notes, v. 40, p. 203.)
 32. Bogard, V. A., Fielder, A. G., and Meinders, H. C., 1978, Soil survey of Grady County, Oklahoma: U.S. Soil Conservation Service in cooperation with Oklahoma Agricultural Experiment Station, 104 p., 4 figs., 87 soil maps, 15 tables.
 - Booth, D. R., see Avis, L. E., and Booth, D. R.
 33. Bradford, R. A., Compton, J. D., Hollis, P. R., 1980, Operational problems in North Burbank Unit surfactant/polymer project: Journal of Petroleum Technology, v. 32, p. 11-17, 12 figs., 1 table.
 - Brenner, R. L., see Moussavi-Harami, Reza, and Brenner, R. L.
 34. Brett, C. E., 1980, *Paracolocrinus*, a new inadunate crinoid genus from the Rochester Shale (Silurian, Wenlockian) of New York: Journal of Paleontology, v. 54, p. 913-922, 1 fig., 1 pl., 1 table. (Refers to Oklahoma Bromide Formation species.)
 35. Brewer, J. A., Steiner, D., Brown, L. D., Oliver, J. E., and Kaufman, S., 1980, COCORP seismic studies of the Hardeman Basin and Wichita Mountains, southwestern Oklahoma [abstract]: American Geophysical Union Transactions, E&S, v. 61, p. 365.
 36. Brewer, J. A., Steiner, David, Brown, L. D., Oliver, J. E., and Kaufman, Sidney, 1980, The layered nature of the upper Precambrian crust south of the Wichita Mountains, Oklahoma, revealed by COCORP deep seismic reflection profiling [abstract]: Geological Society of America Abstracts with Programs, v. 12, p. 391-392. (Reprinted in Oklahoma Geology Notes, v. 41, p. 35-36.)
 37. Bridges, K. F., 1979, The areal geology and Cretaceous stratigraphy of southern Marshall County, Oklahoma: University of Oklahoma unpublished M.S. thesis, 126 p., 17 figs., 1 pl., 1 table. (Abstract printed in Oklahoma Geology Notes, v. 40, p. 118.)
 38. Broadhead, T. W., and Strimple, H. L., 1980, *Hyratanocrinus*, a new Carboniferous camerata crinoid genus from eastern North America: Journal of Paleontology, v. 54, p. 35-44, 3 figs., 1 pl. (Includes specimens from Oklahoma Hindsville Formation.)
 - Broadhead, T. W., see McComb, Ronald, and Broadhead, T. W.
 - Brown, L. D., see Brewer, J. A., Steiner, D., Brown, L. D., Oliver, J. E., and Kaufman, S.
 39. Burgess, D. L., 1980, Soil survey of Marshall County, Oklahoma: U.S. Soil Conservation Service in cooperation with Oklahoma Agricultural Experiment Station, 92 p., 12 figs., 34 soil-map sheets, 22 tables.
 40. Burruss, R. C., Toth, D. J., and Goldstein, R. H., 1980, Fluorescence microscopy of hydrocarbon fluid inclusions: relative timing of hydrocarbon migration events in the Arkoma Basin, N.W. Arkansas [abstract]: American Geophysical Union Transactions, E&S, v. 61, p. 400.
 - Burtsch, F. W., see Smith, R. V., and Burtsch, F. W.
 41. Bush, W. V., Haley, B. R., Stone, C. G., and McFarland, J. D., III, 1978, A guidebook to the Atoka Formation in Arkansas: Arkansas Geological Commission, 62 p., 43 figs., 17 pls. (Prepared for 12th annual meeting of South-Central Section of Geological Society of America, Tulsa, Oklahoma, March 1978.)
 42. Butler, K. R., 1980, A structural analysis of Cambrian-Ordovician strata on the north flank of the Wichita Mountains, Oklahoma: Wichita State University unpublished M.S. thesis.
 43. Butler, K. R., 1980, A structural analysis of the Cambrian-Ordovician strata on the north flank of the Wichita Mountains, Oklahoma [abstract]: Geological Society of America Abstracts with Programs, v. 12, p. 2.
 44. Butz, T. R., Switek, J., Rutledge, D. A., Bard, C. S., Helgerson, R. N., and Grimes, J. G., 1980, Hydrogeochemical and stream sediment detailed geo-

- chemical survey for Wichita Uplift region, Oklahoma: U.S. Department of Energy Open-File Report K/UR-31 (GJBX-66(80)), 46 p. plus 115-p. appendixes, 6 figs., 8 pls., 3 tables. (National Uranium Resource Evaluation program.)
45. Cammarota, V. A., Jr., Lucas, J. M., and Gorby, B. M., 1980, Zinc, in Metals and minerals, v. 1 of Minerals yearbook 1978–79: U.S. Bureau of Mines, p. 981–1019, 3 figs., 42 tables.
- Campbell, K. S. W., see Chatterton, B. D. E., Johnson, B. D., and Campbell, K. S. W.
- Canadian Petroleum Association, see American Petroleum Institute, American Gas Association, and Canadian Petroleum Association.
- Cara, Michael, see Romanowicz, B. A., and Cara, Michael
46. Cebull, S. E., and Shurbet, D. H., 1980, The Ouachita belt in the evolution of the Gulf of Mexico: Houston Geological Society Bulletin, v. 22, no. 9, p. 9–16, 8 figs.
- Changery, M., see Kornasiewicz, R., Changery, M., and Maier, M.
- Chaplin, Audrey, see Der, Zoltan, Smart, Eugene, and Chaplin, Audrey
47. Chatterton, B. D. E., Johnson, B. D., and Campbell, K. S. W., 1979, Silicified Lower Devonian trilobites from New South Wales: Palaeontology, v. 22, p. 799–837, 2 figs., pls. 104–111, 1 table. (Refers to Oklahoma species.)
48. Clark, J. A., 1980, The petrology and depositional environment of the Grayhorse Limestone in north-central Oklahoma: Oklahoma State University unpublished M.S. thesis. (Abstract printed in Oklahoma Geology Notes, v. 41, p. 62–73.)
- Clark, R. H., see Hill, G. W., Jr., and Clark, R. H.
49. Clarke, R. S., Jr., and Scott, E. R. D., 1980, Tetraetaenite-ordered FeNi, a new mineral in meteorites: American Mineralogist, v. 65, p. 624–630, 2 figs., 4 tables. (Includes Lost City meteorite from Oklahoma.)
50. Clupper, D. R., 1978, The lithostratigraphy and depositional environments of the Pitkin Formation (Mississippian) in Adair County, northeastern Oklahoma: University of Oklahoma unpublished M.S. thesis, 115 p., 8 figs., 8 pls., 1 table.
51. Cobb, J. C., 1980, Geology of sphalerite in coal [abstract]: Geological Society of America Abstracts with Programs, v. 12, p. 222. (Includes Oklahoma Desmoinesian coals; reprinted in Oklahoma Geology Notes, v. 40, p. 73–74.)
52. Colbath, G. K., and Larson, S. K., 1980, On the chemical composition of fossil polychaete jaws: Journal of Paleontology, v. 54, p. 485–488, 2 figs., 1 table. (Analysis of Viola Limestone samples.)
- Compton, J. D., see Bradford, R. A., Compton, J. D., and Hollis, P. R.
53. Conaghan, B. F., 1980, Three Sands: experiences in an early oil field: Chronicles of Oklahoma, v. 58, p. 65–76, illus.
- Coney, P. J., see Kluth, C. F., and Coney, P. J.
54. Conybeare, C. E. B., 1979, Lithostratigraphic analysis of sedimentary basins: Academic Press, New York, 555 p., illus. (Includes Oklahoma formations, Anadarko Basin, and Ouachita Mountains.)
55. Cooper, F. D., 1980, Mining and quarrying trends in the metal and nonmetal industries, in Metals and minerals, v. 1 of Minerals Yearbook 1978–79: U.S. Bureau of Mines, p. 1–26, 18 tables.
56. Cox, Roy, and Al-Shaieb, Zuhair, 1980, Stratabound copper in Lower Permian red beds, north-central Oklahoma: Oklahoma Geology Notes, v. 40, p. 191–192, 1 fig.
57. Crick, R. E., 1980, Integration of paleobiogeography and paleogeography: evidence from Arenigian nautiloid biogeography: Journal of Paleontology, v. 54, p. 1218–1236, 12 figs., 1 table. (Includes data on Oklahoma fauna.)
- Cuffey, R. J., see Simonsen, A. H., and Cuffey, R. J.
58. Curtis, B. F., and Ostergard, Deborah, 1980, Subsurface stratigraphy of the Morrow Formation in southeastern Texas County, Oklahoma: Shale Shaker, v. 30, p. 112–142, 4 figs., 22 pls.
59. Danbom, S. H., Barrett, C. M., and Santiago, D. J., 1980, Gravity and magnetic evidence for Keweenawan-aged diabase intrusions in northern Oklahoma [abstract]: Geological Society of America Abstracts with Programs, v. 12, p. 3.
- Daniel, E. W., see Thomas, J. M., Garland, P. A., White, M. B., and Daniel, E. W.
60. Dapples, E. C., 1979, Physical classification of carbonate cement in quartzose sandstones, in McBride, E. F., compiler, Diagenesis of sandstone: cement–porosity relationship: Society of Economic Paleontologists and Mineralogists Reprint Series 9, p. 194–202, 2 figs., 1 table. (Reprinted from Journal of Sedimentary Petrology, v. 44, p. 1269–1274, 1974; includes Oil Creek Sandstone.)
61. Denison, R. E., 1978, Basement rocks in the Arbuckles, in Wickham, John, and Denison, Rodger, leaders, Structural style of the Arbuckle region: Geological Society of America Guidebook, p. 42–46, fig. 17. (Prepared for 12th annual meeting of South-Central Section of Geological Society of America, Tulsa, Oklahoma, March 1978.)
62. Denison, R. E., 1978, Blue River Gneiss, in Wickham, John, and Denison, Rodger, leaders, Structural style of the Arbuckle region: Geological Society of America Guidebook, p. 66–69, fig. 18. (Prepared for 12th annual meeting of South-Central Section of Geological Society of America, Tulsa, Oklahoma, March 1978.)
63. Denison, R. E., 1978, Capitol quarry at Ten Acre Rock, in Wickham, John, and Denison, Rodger, leaders, Structural style of the Arbuckle region: Geological Society of America Guidebook, p. 70–72. (Prepared for 12th annual meeting of South-Central Section of Geological Society of America, Tulsa, Oklahoma, March 1978.)
64. Denison, R. E., 1978, Oil Creek Sandstone (Middle Ordovician) in quarry of Pennsylvania Glass Sand Corp., in Wickham, John, and Denison, Rodger, leaders, Structural style of the Arbuckle region: Geological Society of America Guidebook, p. 73–75. (Prepared for 12th annual meeting of South-Central Section of Geological Society of America, Tulsa, Oklahoma, March 1978.)
65. Denison, R. E., 1978, Stratigraphy of the south flanks of the Arbuckle Anticline, in Wickham, John, and Denison, Rodger, leaders, Structural style of the Arbuckle region: Geological Society of America Guidebook, p. 96–97, fig. 33. (Prepared for 12th annual meeting of South-Central Section of Geological Society of America, Tulsa, Oklahoma, March 1978.)
- Denison, Rodger, see Wickham, John, and Denison, Rodger

66. Der, Zoltan, Smart, Eugene, and Chaplin, Audrey, 1980, Short-period S-wave attenuation under the United States: Seismological Society of America Bulletin, v. 70, p. 101–125, 15 figs., 7 tables. (Includes Oklahoma recordings.)
67. Dickson, Ted, 1979, Iodine ups and downs: Industrial Minerals, no. 147, p. 54–55. (Includes Woodward, Oklahoma, plant.)
68. Dikeou, J. T., 1980, Cement, in Metals and minerals, v. 1 of Minerals yearbook 1978–79: U.S. Bureau of Mines, p. 153–191, 21 tables.
69. Dodson, Peter, Behrensmeyer, A. K., Bakker, R. T., and McIntosh, J. S., 1980, Taphonomy and paleoecology of the dinosaur beds of the Jurassic Morrison Formation: Paleobiology, v. 6, p. 208–232, 8 figs., 5 tables. (Includes Cimarron County locality.)
- Donovan, R. N., see Al-Shaieb, Zuhair, Hanson, R. E., Donovan, R. N., and Shelton, J. W.
70. Donovan, T. J., Forney, F. L., and Roberts, A. A., 1979, Aeromagnetic detection of diagenetic magnetite over oil fields, in Geological Survey research 1979: U.S. Geological Survey Professional Paper 1150, p. 33–34. (Describes study of Cement Field, Oklahoma.)
71. Doyle, E. M., 1980, Oklahoma: Oil and Gas Compact Bulletin, v. 39, no. 1, p. 53–55. (Published by Interstate Oil Compact Commission.)
72. Drexler, Timothy, 1980, The diagenesis and environments of deposition of the Oswego Limestone, Aline-Lambert field, Alfalfa and Grant Counties, Oklahoma [abstract]: Oklahoma Geology Notes, v. 40, p. 211. (Reprinted from program of student papers presented at 1980 AAPG–SEPM–EMD annual meeting.)
- Drexler, Timothy, see Silver, B. A., Bernard, B. B., and Drexler, Timothy
- Durrani, S. A., see Sears, D. W., and Durrani, S. A.
- Dutton, S. P., see Handford, C. R., and Dutton, S. P.
73. Elrod, D. D., 1980, A geochemical and petrographic survey of the Wellington Formation, north-central Oklahoma: Oklahoma State University unpublished M.S. thesis. (Abstract printed in Oklahoma Geology Notes, v. 41, p. 63–64.)
74. English, Otis, 1980, Seventy-first annual report, Department of Mines, Chief Mine Inspector: Oklahoma Department of Mines, 48 p., 1 map, 2 photos.
75. Ettensonoh, F. R., 1980, *Paragassizocrinus*: systematics, phylogeny and ecology: Journal of Paleontology, v. 54, p. 978–1007, 8 figs., 2 pls., 1 table.
76. Fay, R. O., 1980, Geologic and historic notes on the La Harpe expedition into Oklahoma in 1719: Oklahoma Geology Notes, v. 40, p. 254–261, 1 fig.
77. Fay, R. O., Friedman, S. A., Johnson, K. S., Roberts, J. F., Rose, W. D., and Sutherland, P. K., 1979 [1980], Oklahoma, in The Mississippian and Pennsylvanian (Carboniferous) Systems in the United States: U.S. Geological Survey Professional Paper 1110 M–DD, p. R1–R35, 11 figs., 2 tables.
78. Feinstein, Shimon, 1979, Subsidence and thermal history of the Southern Oklahoma Aulacogen: University of Oklahoma unpublished M.S. thesis, 84 p., 17 figs., 1 table.
79. Feinstein, Shimon, Harrison, W. E., and Thompson, T. L., 1980, Subsidence and thermal history of Southern Oklahoma Aulacogen—implication for petroleum exploration [abstract]: American Association of Petroleum Geologists Bulletin, v. 64, p. 705. (Reprinted in Oklahoma Geology Notes, v. 40, p. 203–204.)
80. Fertl, W. H., and Rieke, H. H., III, 1980, Gamma ray spectral evaluation techniques identify fractured shale reservoirs and source-rock characteristics: Journal of Petroleum Technology, v. 32, p. 2053–2062, 16 figs., 2 tables. (Includes Oklahoma Woodford, Springer, Caney, and Cherokee shales.)
- Fielder, A. G., see Bogard, V. A., Fielder, A. G., and Meinders, H. C.
81. Finney, S. C., 1980, Thamnopgraptid, dichograptid and abrographtid graptolites from the Middle Ordovician Athens Shale of Alabama: Journal of Paleontology, v. 54, p. 1184–1208, 16 figs., 2 pls., 1 table. (Includes Oklahoma species.)
- Fischer, J. F., see Powell, B. N., Gilbert, M. C., and Fischer, J. F.
82. Fleming, W. J., 1980, Identification of gypsum using near-infrared photography and digital Landsat imagery: Oklahoma State University unpublished M.S. thesis. (Abstract printed in Oklahoma Geology Notes, v. 41, p. 64.)
83. Ford, J. G., Scott, G. F., and Frie, J. W., 1980, Soil survey of Beckham County, Oklahoma: U.S. Soil Conservation Service in cooperation with Oklahoma Agricultural Experiment Station, 182 p., 17 figs., 69 soil-map sheets, 20 tables.
- Forney, R. L., see Donovan, T. J., Forney, R. L., and Roberts, A. A.
84. Foster, R. J., 1980, Helium, in Metals and minerals, v. 1 of Minerals Yearbook 1978–79: U.S. Bureau of Mines, p. 423–431, 3 figs., 8 tables.
85. Foster, R. J., 1980, Nitrogen, in Metals and minerals, v. 1 of Minerals Yearbook 1978–79: U.S. Bureau of Mines, p. 643–653, 7 tables.
86. Foster, R. J., 1980, Salt, in Metals and minerals, v. 1 of Minerals yearbook 1978–79: U.S. Bureau of Mines, p. 751–762, 15 tables.
87. Fowler, P. T., 1980, Telling live basins from dead ones by temperatures: Houston Geological Society Bulletin, v. 22, no. 5, p. 4–15, 10 figs.
88. Frest, T. J., and Strimple, H. L., 1980, New diminutive camerate crinoids from the Ludlow of Oklahoma: Geological Magazine, v. 117, p. 255–266, 4 figs., 1 pl.
89. Frest, T. J., Strimple, H. L., and Witzke, B. J., 1980, New Comarocystitida (Echinodermata: Paracrinoidae) from the Silurian of Iowa and Ordovician of Oklahoma: Journal of Paleontology, v. 54, p. 217–228, 2 figs., 3 pls.
- Frie, J. W., see Ford, J. G., Scott, G. F., and Frie, J. W.
90. Friedman, G. M., and Reeckman, S. A., 1980, Deep burial diagenesis of carbonates in the world's deepest wells [abstract]: Geological Society of America Abstracts with Programs, v. 12, p. 429–430. (Reprinted in Oklahoma Geology Notes, v. 41, p. 36.)
91. Friedman, S. A., 1980, Oklahoma, in 1980 Keystone coal industry manual: McGraw-Hill Mining Publications, New York, p. 560–565, 1 fig. (Description of seams.)
- Friedman, S. A., see Fay, R. O., Friedman, S. A., Johnson, K. S., Roberts, J. F., Rose, W. D., and Sutherland, P. K.
- Friedman, S. A., see also Rieke, H. H., Galliers, F. G., and Friedman, S. A.
92. Fritts, J. R., 1980, Fauna, stratigraphy, and paleoecology of the Foraker Limestone: Osage,

- Pawnee, Payne and Lincoln Counties, Oklahoma: Oklahoma State University unpublished M.S. thesis, 142 p., 35 figs., 3 pls. (Abstract printed in Oklahoma Geology Notes, v. 41, p. 64–65.)
- Galliers, F. G., *see* Rieke, H. H., Galliers, F. G., and Friedman, S. A.
- Gander, G. A., *see* Sharma, M. L., Gander, G. A., and Hunt, C. G.
- Garland, P. A., *see* Thomas, J. M., Garland, P. A., White, M. B., and Daniel, E. W.
93. Garrett, R. G., Kane, V. E., and Zeigler, R. K., 1980, The management and analysis of regional geochemical data: Journal of Geochemical Exploration, v. 13, p. 115–152, 12 figs., 3 tables. (Includes NURE data on Clinton and Lawton Quadrangles.)
94. Gasteiger, C. M., 1980, Strain analysis of a low amplitude fold in north-central Oklahoma using calcite twin lamellae: University of Oklahoma unpublished M.S. thesis, 90 p., 21 figs., 3 tables.
95. Gilbert, M. C., and Myers, J. D., 1980, Further characterization of Cambrian Wichita granites [abstract]: American Geophysical Union Transactions, E&PS, v. 61, p. 411–412.
- Gilbert, M. C., *see* Myers, J. D., and Gilbert, M. C.
- Gilbert, M. C., *see also* Powell, B. N., Gilbert, M. C., and Fischer, J. F.
- Gilbert, M. C., *see also* Scofield, Nancy, and Gilbert, M. C.
- Goldstein, R. H., *see* Burruss, R. C., Toth, D. J., and Goldstein, R. H.
- Gorby, B. M., *see* Cammarota, V. A., Jr., Lucas, J. M., and Gorby, B. M.
96. Grayson, R. C., Jr., 1980, Stratigraphy of the Wapanucka Formation (Lower Pennsylvanian) along the frontal margin of the Ouachita Mountains, Oklahoma: University of Oklahoma unpublished Ph.D. dissertation, 319 p., 30 figs., 9 pls., 4 tables.
- Grimes, J. G., *see* Butz, T. R., Switek, J., Rutledge, D. A., Bard, C. S., Helgerson, R. N., and Grimes, J. G.
97. Groshong, R. H., Jr., and Rodgers, D. A., 1978, Left-lateral strike-slip fault model, *in* Wickham, John, and Denison, Rodger, leaders, Structural style of the Arbuckle region: Geological Society of America Guidebook, p. 1–4, 2 pls. (Guidebook prepared for 12th annual meeting of South-Central Section of Geological Society of America, Tulsa, Oklahoma, March 1978.)
98. Gutentag, E. D., and Weeks, J. B., 1980, Water table in the High Plains aquifer in parts of Colorado, Kansas, Nebraska, New Mexico, Oklahoma, South Dakota, Texas and Wyoming: U.S. Geological Survey Hydrologic Investigations Atlas 642, 1 map, scale 1:2,500,000, plus text.
- Haley, B. R., *see* Bush, W. V., Haley, B. R., Stone, C. G., and McFarland, J. D., III
99. Hall, S. A., 1980, Corresponding geomorphic, archeologic, and climatic change in the southern plains: new evidence from Oklahoma [abstract]: American Quaternary Association Abstracts and Program, 6th Biennial Meeting, August 18–20, 1980, Orono, Maine, p. 89.
100. Ham, E. A., compiler, 1980, Bibliography and index of Oklahoma geology, 1979: Oklahoma Geology Notes, v. 40, p. 123–169.
101. Handford, C. R., and Dutton, S. P., 1980, Pennsylvanian-Early Permian depositional systems and shelf-margin evolution, Palo Duro Basin, Texas: American Association of Petroleum Geologists Bulletin, v. 64, p. 88–106, 19 figs., 1 table. (Includes Anadarko Basin and Southern Oklahoma Aulacogen.)
102. Handford, C. R., Presley, M. W., and Dutton, S. P., 1980, Depositional and tectonic evolution of a basement-bounded, intracratonic basin, Palo Duro Basin, Texas [abstract]: American Association of Petroleum Geologists Bulletin, v. 64, p. 717. (Includes Oklahoma structures; reprinted in Oklahoma Geology Notes, v. 40, p. 204.)
103. Hansen, M. C., 1980, New occurrences of the petalodontiform chondrichthyan *Megactenopetalus* in the Pennsylvanian of Oklahoma and Kansas: Oklahoma Geology Notes, v. 40, p. 185–189, 1 fig.
104. Hanson, R. E., and Al-Shaieb, Zuhair, 1980, Voluminous subalkaline silicic magmas related to intracontinental rifting in the Southern Oklahoma Aulacogen: Geology, v. 8, p. 180–184, 2 figs., 2 tables.
- Hanson, R. E., *see* Al-Shaieb, Zuhair, Hanson, R. E., Donovan, R. N., and Shelton, J. W.
- Harrison, W. E., *see* Feinstein, Shimon, Harrison, W. E., and Thompson, T. L.
105. Heaton, M. J., and Reisz, R. R., 1980, A skeletal reconstruction of the Early Permian captorhinid reptile *Eocaptorhinus laticeps* (Williston): Journal of Paleontology, v. 54, p. 136–143, 1 fig.
106. Heckel, P. H., 1980, Paleogeography of eustatic model for deposition of Mid-Continent Upper Pennsylvanian cyclothsems [abstract]: American Association of Petroleum Geologists Bulletin, v. 64, p. 721. (Reprinted in Oklahoma Geology Notes, v. 40, p. 206.)
- Helgerson, R. N., *see* Butz, T. R., Switek, J., Rutledge, D. A., Bard, C. S., Helgerson, R. N., and Grimes, J. G.
107. Hemish, L. A., 1980, Observations and interpretations concerning Quaternary geomorphic history of northeastern Oklahoma: Oklahoma Geology Notes, v. 40, p. 79–94, 8 figs., 1 table.
108. Hill, G. W., Jr., and Clark, R. H., 1980, The Anadarko Basin—a regional petroleum accumulation—a model for future exploration and development: Shale Shaker, v. 31, p. 36–49, 15 figs., 1 chart.
- Hinkle, M. E., *see* Reimer, G. M., Roberts, A. A., and Hinkle, M. E.
109. Hoare, R. D., 1980, Pennsylvanian pseudozygo-pleurid gastropods in the collections of the Illinois State Geological Survey: Compass of Sigma Gamma Epsilon, v. 57, p. 54–59, 1 fig. (Includes Oklahoma Wewoka Formation specimens.)
- Hoge, H. P., *see* Vincent, J. W., and Hoge, H. P.
- Hollis, P. R., *see* Bradford, R. A., Compton, J. D., and Hollis, P. R.
110. Holloway, D. J., 1980, Middle Silurian trilobites from Arkansas and Oklahoma, U.S.A., Part 1: Palaeontographica, Abt. A, v. 170, p. 1–85, 10 figs., 20 pls., 1 table.
111. Houseknecht, D. W., and Iannacchione, A. T., 1980, Anticipating coal mining problems in Hartshorne Formation, east-central Oklahoma, using sedimentary facies analysis [abstract]: American Association of Petroleum Geologists Bulletin, v. 64, p. 724–725. (Reprinted in Oklahoma Geology Notes, v. 40, p. 209.)
- Hubiak, P., *see* Minsch, J. H., Stover, C. W., and Hubiak, P.
- Hubiak, P., *see also* Stover, C. W., Hubiak, P., Minsch, J. H., and Person, W. J.
112. Huffman, G. G., 1980, Stratigraphy of the Woodbine

- Formation (Upper Cretaceous), southern Oklahoma: Oklahoma Geology Notes, v. 40, p. 3–16, 3 figs.
- Hunt, C. G., *see* Sharma, M. L., Gander, G. A., and Hunt, C. G.
- Iannacchione, A. T., *see* Houseknecht, D. W., and Iannacchione, A. T.
113. Interstate Oil Compact Commission, 1978, Oklahoma, *in* Impact of oil and gas production on salinity in major fresh water aquifers (Arkansas, Louisiana, New Mexico, Oklahoma): Interstate Oil Compact Commission, p. 300–387, figs. 206–258.
114. Interstate Oil Compact Commission and National Stripper Well Association, 1980, National stripper well survey: Interstate Oil Compact Commission, 14 p., graphs, tables.
115. Isern, T. D., 1980, Jefferson's salt mountain: the big salt plain of the Cimarron River: Chronicles of Oklahoma, v. 58, p. 160–175, illus.
116. Jacobberger, P., 1980, Color changes related to soil erosion in southwest Kansas as detected by Landsat [abstract]: American Geophysical Union Transactions, E&S, v. 61, p. 238. (Area near Oklahoma Panhandle.)
117. Jenkins, W. A. M., and Legault, J. A., 1979, Stratigraphic ranges of selected Chitinozoa: Palynology, v. 3, p. 235–264, 5 figs.
- Johnson, B. D., *see* Chatterton, B. D. E., Johnson, B. D., and Campbell, K. S. W.
118. Johnson, K. S., 1979, Coal mining and land reclamation in eastern Oklahoma [abstract]: Palynology, v. 3, p. 288.
119. Johnson, K. S., 1980, Precambrian granite in the Arbuckle Mountains: Oklahoma Geology Notes, v. 40, p. 78. (Cover-photo description.)
120. Johnson, K. S., Luza, K. V., and Roberts, J. F., 1980, Disposal of industrial wastes in Oklahoma: Oklahoma Geological Survey Circular 80, 82 p., 32 figs., 1 pl., 16 tables.
- Johnson, K. S., *see* Bloch, Salman, and Johnson, K. S.
- Johnson, K. S., *see also* Fay, R. O., Friedman, S. A., Johnson, K. S., Roberts, J. F., Rose, W. D., and Sutherland, P. K.
121. Johnston, R. R., North American drilling activity in 1979: American Association of Petroleum Geologists Bulletin, v. 64, p. 1295–1330, 9 figs., 21 tables.
122. Jones, D. J., 1980, Early geologic education at the Universities of Oklahoma and Chicago: comparisons and contrasts [abstract]: Geological Society of America Abstracts with Programs, v. 12, p. 456. (Reprinted in Oklahoma Geology Notes, v. 41, p. 37–38.)
- Kane, V. E., *see* Garrett, R. G., Kane, V. E., and Ziegler, R. K.
- Kaufman, S., *see* Brewer, J. A., Steiner, D., Brown, L. D., Oliver, J. E., and Kaufman, S.
123. Keller, G. R., Papesh, H., and Roy, R. F., 1980, A comparative geophysical study of the Southern Oklahoma Aulacogen and the Delaware Aulacogen [abstract]: American Geophysical Union Transactions, E&S, v. 61, p. 1101.
124. Kennedy, D. J., 1980, A restudy of conodonts described by Branson & Mehl, 1933, from the Jefferson City Formation, Lower Ordovician, Missouri: Geologica et Palaeontologica, v. 14, p. 45–76, 2 figs., 2 pls., 2 tables. (Includes Oklahoma species.)
125. Kent, D. C., 1980, Evaluation of aquifer performance and water supply capabilities of alluvial and terrace deposits of the North Fork of the Red River in Beckham, Greer, Kiowa and Jackson Counties, Oklahoma: Oklahoma State University Water Research Institute, Final report to Oklahoma Water Resources Board, 132 p., 50 figs., 2 tables.
126. Kirk, W. S., 1980, Thorium, *in* Metals and minerals, v. 1 of Minerals yearbook 1978–79: U.S. Bureau of Mines, p. 907–913, 3 tables.
127. Klemme, H. D., 1980, Petroleum basins—classifications and characteristics: Journal of Petroleum Geology, v. 3, p. 187–207, 23 figs., 1 table. (Includes Anadarko and Arkoma Basins.)
128. Kluth, C. F., and Coney, P. J., 1980, Plate tectonics of the Ancestral Rocky Mountains [abstract]: Geological Society of America Abstracts with Programs, v. 12, p. 277. (Includes Wichita Uplift, Anadarko Basin, and Ouachita Mountains; reprinted in Oklahoma Geology Notes, v. 40, p. 117–118.)
129. Koff, L. R., Thompson, T. L., and Luza, K. V., 1980, Tectonics of the Oklahoma City Uplift [abstract]: Geological Society of America Abstracts with Programs, v. 12, p. 5.
130. Kornasiewicz, R., Changery, M., and Maier, M., 1980, An improved lightning hazard climatology for the United States [abstract]: American Geophysical Union Transactions, E&S, v. 61, no. 46, p. 975. (Based partly on Oklahoma analyses.)
131. Krothe, N. C., and Oliver, J. W., 1980, Sulfur isotope and hydrochemical variations in ground water in the High Plains of Kansas and Oklahoma [abstract]: American Geophysical Union Transactions, E&S, v. 61, no. 46, p. 953.
132. Krothe, N. C., and Oliver, J. W., 1980, Sulfur isotope and hydrochemical variations in ground water in the High Plains of Kansas and Oklahoma [abstract]: Geological Society of America Abstracts with Programs, v. 12, p. 466. (Reprinted in Oklahoma Geology Notes, v. 41, p. 38.)
- Lambert, M. W., *see* Ripley, E. M., Lambert, M. W., and Berendsen, Pieter
- Larson, S. K., *see* Colbath, G. K., and Larson, S. K.
133. Lawson, Jim, 1980, Oklahoma observations of effects of May 18, 1980, eruption of Mount St. Helens: Oklahoma Geology Notes, v. 40, p. 179–183, 3 figs.
134. Lawson, J. E., Jr., and Luza, K. V., 1980, Oklahoma earthquakes—1978: Earthquake Notes, v. 51, no. 1, p. 29–33, 2 figs., 1 table.
135. Lawson, J. E., Jr., and Luza, K. V., 1980, Oklahoma earthquakes, 1979: Oklahoma Geology Notes, v. 40, p. 95–105, 4 figs., 3 tables.
- Lawson, J. E., Jr., *see* Luza, K. V., and Lawson, J. E., Jr.
136. Lee, B. E., 1980, Stratigraphy, sedimentology, and uranium potential of Virgilian–Leonardian strata of the Hollis–Hardeman Basin, Oklahoma and Texas: Oklahoma State University unpublished M.S. thesis. (Abstract printed in Oklahoma Geology Notes, v. 41, p. 65–66.)
137. Loring, A. K., and Armstrong, D. G., 1980, Cambrian–Ordovician syenites of New Mexico, part of a regional alkalic intrusive episode: Geology, v. 8, p. 344–348, 4 figs. (Includes southern Oklahoma evidence.)
- Lucas, J. M., *see* Cammarota, V. A., Jr., Lucas, J. M., and Gorby, B. M.

138. Luza, K. V., and Lawson, J. E., Jr., 1980, Seismicity and tectonic relationships of the Nemaha Uplift in Oklahoma, part 3: Oklahoma Geological Survey Open-file Report NUREG/CR-1500, prepared for U.S. Nuclear Regulatory Commission, 70 p., 23 figs., 4 tables.
- Luza, K. V., *see* Johnson, K. S., Luza, K. V., and Roberts, J. F.
- Luza, K. V., *see also* Koff, L. R., Thompson, T. L., and Luza, K. V.
- Luza, K. V., *see also* Lawson, J. E., Jr., and Luza, K. V.
- Lynch, R. A., *see* Maiello, T. H., and Lynch, R. A.
139. McAuliffe, C. D., 1980, Oil and gas migration: chemical and physical constraints, *in* Roberts, W. H., III, and Cordell, R. J., editors, Problems of petroleum migration: American Association of Petroleum Geologists Studies in Geology 10, p. 89–107, 4 figs., 8 tables. (Includes Springer Shale and Woodford Shale.)
140. McCaslin, J. C., 1980, Arkansas' Arkoma basin ripe wildcat territory: Oil and Gas Journal, v. 78, no. 50, p. 99, 1 fig.
141. McCaslin, J. C., 1980, Deep drilling surge hits Anadarko basin: Oil and Gas Journal, v. 78, no. 31, p. 91, 1 fig.
142. McCaslin, J. C., 1980, Operators to push Anadarko basin drilling: Oil and Gas Journal, v. 78, no. 3, p. 109, 1 fig.
143. McCaslin, J. C., 1980, Palo Duro interest may be on upswing again: Oil and Gas Journal, v. 78, no. 24, p. 131, 1 fig. (Includes Harmon County well.)
144. McCaslin, J. C., 1980, Southeast Oklahoma wildcats due close look: Oil and Gas Journal, v. 78, no. 20, p. 177, 1 fig.
145. McCaslin, J. C., 1980, Tulsa firm to probe secrets of the Ouachitas: Oil and Gas Journal, v. 78, no. 4, p. 207, 1 fig.
146. McComb, Ronald, and Broadhead, T. W., 1980, Silurian–Devonian boundary correlation in eastern United States [abstract]: Geological Society of America Abstracts with Programs, v. 12, p. 479. (Reprinted in Oklahoma Geology Notes, v. 41, p. 39; refers to Oklahoma Haragan Formation.)
- McFarland, J. D., III, *see* Bush, W. V., Haley, B. R., Stone, C. G., and McFarland, J. D., III
147. Macfarlane, P. A., 1980, Distribution of radium-226 in the Cambro–Ordovician groundwater system, Tri-State region, Kansas, Missouri, Oklahoma [abstract]: Geological Society of America Abstracts with Programs, v. 12, p. 5–6.
148. Macfarlane, P. A., 1980, Preliminary hydrogeology and water quality of the Cambro–Ordovician aquifers in Kansas, Oklahoma, and Missouri [abstract]: American Geophysical Union Transactions, E&S, v. 61, p. 49.
149. McHargue, T. R., 1980, A reconstruction of the unusual apparatus of *Histiodella* [abstract]: Geological Society of America Abstracts with Programs, v. 12, p. 250. (Conodont from Oklahoma Joins Formation; reprinted in Oklahoma Geology Notes, v. 40, p. 250.)
- McIntosh, J. S., *see* Dodson, Peter, Behrensmeyer, A. K., Bakker, R. T., and McIntosh, J. S.
150. Macurda, D. B., Jr., 1980, Abnormalities of the Carboniferous blastoid *Pentremites*: Journal of Paleontology, v. 54, p. 1115–1162, 2 pls., 2 tables. (Includes Oklahoma Bloyd and Pitkin Formation specimens.)
151. Magara, Kinji, 1980, Comparison of porosity–depth relationships of shale and sandstone: Journal of Petroleum Geology, v. 3, p. 175–185, 8 figs. (Includes Oklahoma Pennsylvanian and Permian shales.)
152. Maiello, T. H., and Lynch, R. A., 1980, The effects of thermal heating in Comanche Reservoir, a Public Service Company of Oklahoma cooling lake: Oklahoma Water Resources Board Publication 97, 48 p., 4 figs., 15 tables.
- Maiello, T. H., *see* Morris, W. K., and Maiello, T. H.
- Maier, M., *see* Kornasiewicz, K., Changery, M., and Maier, M.
- Maier, M. W., *see* Mosher, F. R., Maier, M. W., Orville, R. E., and Rust, W. D.
153. Manger, W. L., and Saunders, W. B., 1980, Lower Pennsylvanian (Morrowan) ammonoids from the North American midcontinent: Journal of Paleontology, v. 54, supplement, pt. 2 (Paleontological Society Memoir 10), 56 p., 21 figs., 6 pls., 10 tables.
- Manger, W. L., *see* Sutherland, P. K., and Manger, W. L.
154. Mankin, C. J., 1980, Oklahoma Geological Survey annual report, July 1, 1979–June 30, 1980: Oklahoma Geology Notes, v. 40, p. 219–237.
155. Matheny, S. L., Jr., 1980, EOR methods help ultimate recovery: Oil and Gas Journal, v. 78, no. 13, p. 79–94, 96, 100, 104, 108, 112, 114, 116, 120, 124, 3 figs., photos, tables.
- Mathis, R. L., *see* Radke, B. M., and Mathis, R. L.
156. Matthia, H. F., 1979, Hydrologic and human aspects of the 1976–77 drought: U.S. Geological Survey Professional Paper 1130, 84 p., 30 figs. (Includes Arkansas–White–Red region.)
- Meinders, H. C., *see* Bogard, V. A., Fielder, A. G., and Meinders, H. C.
157. Meisinger, A. C., 1980, Pumice and volcanic cinder, *in* Metals and minerals, v. 1 of Minerals yearbook 1978–79: U.S. Bureau of Mines, p. 729–733, 1 fig., 6 tables.
158. Meisinger, A. C., 1980, Vermiculite, *in* Metals and minerals, v. 1 of Minerals yearbook 1978–79: U.S. Bureau of Mines, p. 977–980, 4 tables.
159. Meissner, F. F., 1980, Examples of abnormal fluid pressure produced by hydrocarbon generation [abstract]: American Association of Petroleum Geologists Bulletin, v. 64, p. 749. (Includes Anadarko Basin.)
- Merrill, G. K., *see* von Bitter, P. H., and Merrill, G. K.
160. Michlik, D. M., 1980, Petrographic and mapping study of the subsurface "Oswego" Limestone in part of the Putnam Trend, T. 15–16 N., R. 15–17 W., Dewey and Custer Counties, Oklahoma: Oklahoma State University unpublished M.S. thesis. (Abstract printed in Oklahoma Geology Notes, v. 41, p. 66.)
- Miller, E. C., *see* Tinsley, J. M., Miller, E. C., Sabins, F. L., and Sutton, D. L.
161. Miller, J. F., 1980, Taxonomic revisions of some Upper Cambrian and Lower Ordovician conodonts with comments on their evolution: University of Kansas Paleontological Contributions, Paper 99, 39 p., 6 figs., 2 pls.
162. Mining Informational Services, 1980, Coking-coal seams of the U.S. by state and county, *in* 1980 Keystone coal industry manual: McGraw-Hill Mining Publications, New York, p. 430, 432–433.
163. Mining Informational Services, 1980, Directory of

- mechanical coal cleaning plants,, in 1980 Keystone coal industry manual: McGraw-Hill Mining Publications, New York, p. 745–755.
164. Mining Informational Services, 1980, Oklahoma, in 1980 Keystone coal industry manual: McGraw-Hill Mining Publications, New York, p. 940–943. (Directory of mines.)
165. Minsch, J. H., Stover, C. W., and Hubiak, P., 1980, Earthquakes in the United States, April–June 1978: U.S. Geological Survey Circular 819-B, 27 p., 10 figs., 1 table.
166. Minsch, J. H., Stover, C. W., Person, W. J., and Smith, P. K., 1980, Earthquakes in the United States, July–September 1979: U.S. Geological Survey Circular 836-C, 39 p., 8 figs., 2 tables.
Minsch, J. H., *see* Stover, C. W., Hubiak, P., Minsch, J. H., and Person, W. J.
- Minsch, J. H., *see also* Stover, C. W., Minsch, J. H., and Reagor, B. G.
167. Morgan, T. L., 1980, Uranium hydrogeochemical and stream sediment reconnaissance of the Dalhart NTMS Quadrangle, New Mexico/Texas/Oklahoma, including concentrations of forty-two additional elements: U.S. Department of Energy Informal Report LA-8008-MS, 108 p., 5 figs., 6 pls., 3 tables. (GJBX-207: 80; issued by Los Alamos Scientific Laboratory.)
168. Morris, W. K., 1979, Tenkiller Ferry Reservoir and lower Illinois River 1979 temperature and dissolved oxygen investigation: Oklahoma Water Resources Board Publication 93, 18 p., 1 fig., 8 graphs, 2 tables.
169. Morris, W. K., and Maiello, T. H., 1980, 1979 thermal monitoring on the Arkansas River, Oklahoma: maximum water quality temperature standard development evaluation: Oklahoma Water Resources Board Publication 96, 29 p., 1 fig., 5 photos, 11 tables.
170. Morrison, C. M., 1980, Permian uranium-bearing sandstones on the Muenster–Waurika Arch and in the Red River area, Part 1: Shale Shaker, v. 30, p. 143–156, 10 figs., 7 pls.
171. Morrison, C. M., 1980, Permian uranium-bearing sandstones on the Muenster–Waurika Arch and in the Red River area, Part 2: Shale Shaker, v. 30, p. 158–170, figs. 11–18, 5 pls.
172. Morrison, L. S., 1980, Oil in the fascinating Ouachitas: Shale Shaker, v. 31, p. 20–30, 9 figs.
173. Morrison, L. S., 1980, Oil production from fractured cherts of Woodford and Arkansas Novaculite Formations, Oklahoma [abstract]: American Association of Petroleum Geologists Bulletin, v. 64, p. 754. (Reprinted in Oklahoma Geology Notes, v. 40, p. 209–210.)
174. Morton, R. B., 1980, Digital-model projection of saturated thickness and recoverable water in the Ogallala aquifer, Texas County, Oklahoma: U.S. Geological Survey Open-File Report 79-565, 34 p., 12 figs., 12 pls. (Prepared in cooperation with Oklahoma Water Resources Board.)
175. Mosher, F. R., Maier, M. W., Orville, R. E., and Rust, W. D., 1980, The simultaneous display of lightning ground strike locations onto visible and infrared satellite imagery [abstract]: American Geophysical Union Transactions, E&S, v. 61, no. 46, p. 976. (Observations made in Oklahoma–Texas region.)
176. Moussavi-Harami, Reza, and Brenner, R. L., 1980, Stratigraphic and sedimentologic analyses of the Pennsylvanian Stanton Formation, southeastern Kansas [abstract]: Geological Society of America Abstracts with Programs, v. 12, p. 262. (Includes Ouachita Mountains as source.)
177. Murgatroyd, Caroline, 1980, Significance of silicified carbonate rocks near the Devonian–Mississippian boundary, Ouachita Mountains, Oklahoma: Shale Shaker, v. 31, p. 1–12, 6 figs., 1 pl.
178. Murgatroyd, C. D., 1980, Significance of silicified carbonate rocks near the Devonian–Mississippian boundary, Ouachita Mountains, Oklahoma: University of Oklahoma unpublished M.S. thesis, 65 p., 26 figs., 6 pls.
179. Murgatroyd, C. D., 1980, Significance of silicified carbonate rocks near the Devonian–Mississippian boundary, Ouachita Mountains, Oklahoma [abstract]: Oklahoma Geology Notes, v. 40, p. 211–212. (Reprinted from program listing student papers for 1980 AAPG–SEPM–EMD annual meeting.)
180. Myers, J. D., and Gilbert, M. C., 1980, Chemistry of Wichita granites [abstract]: American Geophysical Union Transactions, E&S, v. 61, p. 1155.
Myers, J. D., *see* Gilbert, M. C., and Myers, J. D.
181. Nagengast, T. J., 1980, An explanation for the linearization of production on the southern portion of the Central Oklahoma Platform [abstract]: American Association of Petroleum Geologists, program of student papers presented at 1980 AAPG–SEPM–EMD annual meeting, p. 9.
- National Stripper Well Association, *see* Interstate Oil Compact Commission and National Stripper Well Association
182. Newcomb, W. E., 1980, Here's how U.S. seeks waste sites: Geotimes, v. 25, no. 12, p. 18–20, illus. (Includes Oklahoma Panhandle.)
183. Nielsen, George, 1980, New production capacity sags: Coal Age, v. 85, no. 2, p. 100–118, 5 tables. (Includes Oklahoma coal mines.)
184. Nuttli, O. W., 1980, Historical seismicity of the central United States [abstract]: American Geophysical Union Transactions, E&S, v. 61, p. 1196. (Includes Oklahoma structures.)
185. Oak Ridge Gaseous Diffusion Plant, 1980, Hydrogeochemical and stream sediment reconnaissance program in central United States, semiannual progress report, October 31, 1979 through March 31, 1980: U.S. Department of Energy Open-File Report K/UR-21, part 4, 20 p. (National Uranium Resource Evaluation program.)
186. Oak Ridge Gaseous Diffusion Plant, 1980, Hydrogeochemical and stream sediment reconnaissance program in central United States, semiannual progress report, April 1, 1980 through September 30, 1980: U.S. Department of Energy Open-File Report K/UR-21, part 5, 19 p. (National Uranium Resource Evaluation program.)
187. Ohle, E. L., 1980, Some considerations in determining the origin of ore deposits of the Mississippi Valley Type—Part II: Economic Geology, v. 75, p. 161–172, 3 figs. (Includes Tri-State ores.)
188. Oklahoma Geological Survey, 1980, Index, volume 40, 1980: Oklahoma Geology Notes, v. 40, p. 267–279.
189. Oklahoma Water Resources Board, 1979, 1979 annual report: Oklahoma Water Resources Board Publication 92, 23 p., 17 figs.

190. Oklahoma Water Resources Board, 1980, Oklahoma Comprehensive Water Plan: Oklahoma Water Resources Board Publication 94, 248 p., 135 figs., photos.
191. Oklahoma Water Resources Board, 1980, Oklahoma's water quality standards, 1979: Oklahoma Water Resources Board Publication 101, 94 p., maps, tables.
192. Oklahoma Water Resources Board, 1980, Reported water use in Oklahoma, 1978: Oklahoma Water Resources Board Publication 102, 80 p., 2 maps, tables.
193. Oklahoma Water Resources Board, 1979, Rules, regulations and modes of procedure: Oklahoma Water Resources Board Publication 90, 73 p.
194. Oklahoma Water Resources Board, 1980, Rural water systems in Oklahoma: Oklahoma Water Resources Board Publication 98, 160 p., 79 maps, tables.
195. Oklahoma Water Resources Board, 1980, Synopsis of the Oklahoma Comprehensive Water Plan: Oklahoma Water Resources Board Publication 94-S, 24 p., 7 figs.
- Oliver, J. E., *see* Brewer, J. A., Steiner, D., Brown, L. D., Oliver, J. E., and Kaufman, S.
- Oliver, J. W., *see* Krothe, N. C., and Oliver, J. W.
196. Orgren, A. H., 1979, Lithostratigraphy and depositional environments of the Pitkin Limestone and Fayetteville Shale (Chesterian) in portions of Wagoner, Cherokee, and Muskogee Counties, Oklahoma: University of Oklahoma unpublished M.S. thesis. (Abstract in Oklahoma Geology Notes, v. 40, p. 119–120.)
- Orville, R. E., *see* Mosher, F. R., Maier, M. W., Orville, R. E., and Rust, W. D.
197. Ostergard, Deborah, 1979, Subsurface stratigraphy of the Morrow Formation in southeastern Texas County, Oklahoma: University of Colorado unpublished M.S. thesis.
- Ostergard, Deborah, *see* Curtis, B. F.
- Ozima, M., *see* Podosek, F. A., and Ozima, M.
198. Pabian, R. K., and Strimple, H. L., 1980, Growth patterns of the Late Pennsylvanian crinoid *Eriocrinus typus* Meek and Worthen from Nebraska and Oklahoma [abstract]: Nebraska Academy of Science Proceedings, no. 90, p. 32.
- Papesh, H., *see* Keller, G. R., Papesh, H., and Roy, R. F.
- Patterson, H. L., Jr., *see* Trantham, J. C., Threlkeld, C. B., and Patterson, H. L., Jr.
- Peacor, D. R., *see* Blake, D. F., Peacor, D. R., and Wilkinson, B. H.
199. Person, W. J., 1980, Earthquakes, September–October 1979: Earthquake Information Bulletin, v. 12, p. 74–77, 2 photos. (Includes September 12 Oklahoma earthquake.)
- Person, W. J., *see* Minsch, J. H., Stover, C. W., Person, W. J., and Smith, P. K.
- Person, W. J., *see also* Stover, C. W., Hubiak, P., Minsch, J. H., and Person, W. J.
200. Petkof, Benjamin, 1980, Gallium in Metals and minerals, v. 1 of Minerals yearbook 1978–79: U.S. Bureau of Mines, p. 359–361, 4 tables.
201. Petroleum Information Corp. staff, 1980, Oklahoma, in Resume 79, a review of oil and gas activity in the United States: Petroleum Information Corp., p. 151–158.
202. Pittman, E. D., 1979, Diagenesis of quartz in sandstones as revealed by scanning electron microscopy, in McBride, E. F., compiler, Diagenesis of sandstone: cement-porosity relationships: Society of Economic Paleontologists and Mineralogists Reprint Series 9, p. 99–111, 8 figs. (Reprinted from Journal of Sedimentary Petrology, v. 42, p. 507–519, 1972; includes Oil Creek Formation.)
- Pittman, E. D., *see* Wilson, M. D., and Pittman, E. D.
203. Podosek, F. A., and Ozima, M., 1980, Sedimentary noble gases: Geochimica et Cosmochimica Acta, v. 44, p. 1875–1884, 6 figs., 3 tables. (Includes Wewoka Formation.)
- Porter, K. G., *see* Robbins, E. J., and Porter, K. G.
204. Posey, H. H., 1979, Brecciation, mineralization and facies relationships of Cambro-Ordovician carbonates in the Arbuckle Mountains of Oklahoma: University of Missouri at Rolla unpublished M.S. thesis.
205. Posey, H. H., 1980, A potential heat source for Mississippi Valley type deposits—an example from the Arbuckle Mountains, Oklahoma [abstract]: Geological Society of America Abstracts with Programs, v. 12, p. 205. (Reprinted in Oklahoma Geology Notes, v. 40, p. 72.)
206. Potential Gas Committee, 1979, Potential supply of natural gas in the United States (as of December 31, 1978): Potential Gas Agency, Colorado School of Mines, 75 p., 19 figs., 28 tables.
207. Potter, M. J., 1980, Feldspar, nepheline syenite, and aplite, in Metals and minerals, v. 1 of Minerals yearbook 1978–79: U.S. Bureau of Mines, p. 317–325, 9 tables.
208. Powell, B. N., 1979, Mineralogy and phase chemistry of hydrous gabbros [abstract]: Geological Society of America Abstracts with Programs, v. 11, p. 497. (Concerns Wichita Mountains igneous rocks.)
209. Powell, B. N., Gilbert, M. C., and Fischer, J. F., 1980, Lithostratigraphic classification of basement rocks of the Wichita province, Oklahoma: Geological Society of America Bulletin, pt. 2, v. 91, p. 1875–1994, 29 figs., 9 tables. (Summary is in GSA Bulletin, pt. 1, v. 91, p. 509–514.)
210. Prater, M. L., 1980, Statistics in Oklahoma's petroleum industry, 1979: Oklahoma Geology Notes, v. 40, p. 241–253, 7 figs., 5 tables.
- Presley, M. W., *see* Handford, C. R., Presley, M. W., and Dutton, S. P.
211. Pressler, J. W., 1980, Gypsum, in Metals and minerals, v. 1 of Minerals yearbook 1978–79: U.S. Bureau of Mines, p. 411–422, 2 figs., 9 tables.
212. Pressler, J. W., 1980, Lime, in Metals and minerals, v. 1 of Minerals yearbook 1978–79: U.S. Bureau of Mines, p. 539–549, 1 fig., 8 tables.
213. Preston, D. A., 1980, Black Mesa State Park: Oklahoma Geology Notes, v. 40, p. 178. (Cover-photo description.)
214. Preston, D. A., 1980, Bursting natural-gas bubble, Woods County, Oklahoma: Oklahoma Geology Notes, v. 40, p. 2. (Cover-photo description.)
215. Preston, D. A., 1980, Gas eruptions taper off: Geotimes, v. 25, no. 10, p. 18–20, illus.
216. Preston, R. E., 1979, Late Pleistocene cold-blooded vertebrate faunas from the mid-continental United States. Reptilia; Testudines, Crocodilia: University of Michigan, Museum of Paleontology, Papers on Paleontology 19 (Claude W. Hibbard Memorial Volume 6), 53 p., 10 figs., 3 tables.
217. Radke, B. M., and Mathis, R. L., 1980, On the forma-

- tion and occurrence of saddle dolomite: *Journal of Sedimentary Petrology*, v. 50, p. 1149–1168, 12 figs., 2 tables. (Includes Ottawa County samples.)
- Reagor, B. G., *see* Stover, C. W., Minsch, J. H., and Reagor, B. G.
- Reeckman, S. A., *see* Friedman, G. M., and Reeckman, S. A.
218. Reford, M. S., 1980, Magnetic method: *Geophysics*, v. 45, p. 1640–1658, 14 figs., 1 table. (History; includes Oklahoma City Field.)
219. Reimer, G. M., Roberts, A. A., and Hinkle, M. E., 1980, Recent advances in helium analysis as exploration tool for energy "deposits" [abstract]: *American Association of Petroleum Geologists Bulletin*, v. 64, p. 771. (Reprinted in *Oklahoma Geology Notes*, v. 40, p. 207.)
- Reisz, R. R., *see* Heaton, M. J., and Reisz, R. R.
- Rennison, J., *see* Visher, G. S., and Rennison, J.
220. Rhodes, L. K., 1980, Correlation between vegetation and geologic formations in Oklahoma: *Oklahoma Geology Notes*, v. 40, p. 47–62, 2 figs., 1 table.
221. Rieke, H. H., Galliers, F. G., and Friedman, S. A., 1980, Stratigraphic relationship of Desmoinesian coals in the Kiowa Syncline, Pittsburg County, Oklahoma [abstract]: *Geological Society of America Abstracts with Programs*, v. 12, p. 16.
- Rieke, H. H., III, *see* Fertl, W. H., and Rieke, H. H., III
222. Ripley, E. M., Lambert, M. W., and Berendsen, Pieter, 1980, Mineralogy and paragenesis of red-bed copper mineralization in the Lower Permian of south central Kansas: *Economic Geology*, v. 75, p. 722–729, 5 figs., 2 tables. (Refers to Oklahoma Cretaceous copper deposit.)
223. Robbins, E. I., and Porter, K. G., 1980, Geologic importance of zooplankton fecal pellets in black shale associated with phosphate deposits [abstract]: *Palynology*, v. 4, p. 249–250. (Includes Oklahoma Excello Shale and Bandera Shale.)
- Roberts, A. A., *see* Donovan, T. J., Forgey, R. L., and Roberts, A. A.
- Roberts, A. A., *see also* Reimer, G. M., Roberts, A. A., and Hinkle, M. E.
- Roberts, J. F., *see* Johnson, K. S., Luza, K. V., and Roberts, J. F.
- Roberts, J. F., *see also* Fay, R. O., Friedman, S. A., Johnson, K. S., Roberts, J. F., Rose, W. D., and Sutherland, P. K.
- Rodgers, D. A., *see* Groshong, R. H., Jr., and Rodgers, D. A.
224. Romanowicz, B. A., and Cara, Michael, 1980, Reconsideration of the relations between S and P station anomalies in North America: *Geophysical Research Letters*, v. 7, p. 417–420, 4 figs., 1 table. (Includes Oklahoma Geophysical Observatory recordings.)
- Rose, W. D., *see* Fay, R. O., Friedman, S. A., Johnson, K. S., Roberts, J. F., Rose, W. D., and Sutherland, P. K.
- Roy, R. F., *see* Keller, G. R., Papesh, H., and Roy, R. F.
- Rust, W. D., *see* Mosher, F. R., Maier, M. W., Orville, R. E., and Rust, W. D.
- Rutledge, D. A., *see* Butz, T. R., Switek, J., Rutledge, D. A., Bard, C. S., Helgerson, R. N., and Grimes, J. G.
- Sabins, F. L., *see* Tinsley, J. M., Miller, E. C., Sabins, F. L., and Sutton, D. L.
225. Sando, W. J., 1980, Supplement to checklist of North American late Paleozoic coral species (Coelenterata, Anthozoa): *Journal of Paleontology*, v. 54, p. 632–633. (Includes Oklahoma Pennsylvanian species.)
226. Santiago, D. J., 1979, A gravity and magnetic study of the Medford anomaly, north-central Oklahoma: University of Oklahoma unpublished M.S. thesis, 105 p., 33 figs.
- Santiago, D. J., *see* Danbom, S. H., Barrett, C. M., and Santiago, D. J.
- Saunders, W. B., *see* Manger, W. L., and Saunders, W. B.
227. Schram, F. R., 1979, The genus *Archaeocaris*, and a general review of the Palaeostomatopoda (Hypolcarida: Malacostraca): *San Diego Society of Natural History Transactions*, v. 19, no. 5, p. 57–65, 5 figs. (Includes Oklahoma specimens.)
228. Schwartz, D. E., 1978, Hydrology and current orientation analysis of a braided to meandering transition: the Red River in Oklahoma and Texas, U.S.A., *in* Miall, A. D., editor, *Fluvial sedimentology*: Canadian Society of Petroleum Geologists Memoir 5, p. 231–255, 10 figs., 1 table.
229. Scofield, Nancy, and Gilbert, M. C., 1980, Chemistry of late alkali amphiboles from Wichita granites [abstract]: *Geological Society of America Abstracts with Programs*, v. 12, p. 16.
- Scott, E. R. D., *see* Clarke, R. S., Jr., and Scott, E. R. D.
- Scott, G. F., *see* Ford, J. G., Scott, G. F., and Frie, J. W.
230. Scott, R. W., and Taylor, A. M., 1977, Early Cretaceous environments and paleocommunities in the southern Western Interior (Part 1), *in* Kauffman, E. G., editor, *Cretaceous facies, faunas, and paleoenvironments across the Western Interior basin*: *Mountain Geologist*, v. 14, nos. 3–4, p. 155–173, 12 figs., 1 table. (Field-trip guidebook.)
231. Seale, J. D., 1980, Depositional environments and diagenesis of Upper Pennsylvanian Marchand sandstones on south, east, and northeast flanks of the Anadarko Basin: Oklahoma State University unpublished M.S. thesis. (Abstract printed in *Oklahoma Geology Notes*, v. 41, p. 67.)
232. Sears, D. W., and Durrani, S. A., 1980, Thermoluminescence and the terrestrial age of meteorites: some recent results: *Earth and Planetary Science Letters*, v. 46, p. 159–166, 4 figs., 3 tables. (Includes data on Keyes Chondrite.)
233. Sharma, M. L., Gander, G. A., and Hunt, C. G., 1980, Spatial variability of infiltration in a watershed: *Journal of Hydrology*, v. 45, p. 101–122, 13 figs., 3 tables. (Concerns infiltration tests on watershed near Chickasha, Oklahoma.)
- Sharp, J. B., *see* Steele, K. F., Wagner, G. H., and Sharp, J. B.
234. Shelby, J. M., 1980, Geologic and economic significance of the upper Morrow chert conglomerate reservoir of the Anadarko Basin: *Journal of Petroleum Technology*, v. 32, p. 489–495, 16 figs.
235. Shelton, J. E., 1980, Sulfur and pyrites, *in* Metals and minerals, v. 1 of Minerals yearbook 1978–79; U.S. Bureau of Mines, p. 877–897, 5 figs., 17 tables.
236. Shelton, J. W., 1979, Authigenic kaolinite in sandstone, *in* McBride, E. F., compiler, *Diagenesis of sandstone: cement-porosity relationships*: Society of Economic Paleontologists and Mineralogists Reprint Series 9, p. 34–43, 4 figs., 1 table. (Reprinted from *Journal of Sedimentary Petrology*, v. 34, p. 102–111, 1964; includes Oklahoma Atokan and Desmoinesian sands.)

237. Shelton, J. W., 1977, Exploration principles for sandstone reservoirs: American Association of Petroleum Geologists Continuing Education Committee, 24 p., 8 figs., 6 tables. (In untitled short-course handbook prepared for AAPG Southwest Section 1977 annual meeting; includes Oklahoma sandstones.)
238. Shelton, J. W., Bingham, R. H., and Jenkins, W. A., 1980, Geology and mineral resources of Noble County, Oklahoma: Oklahoma Geological Survey Bulletin 128, 66 p., 42 figs., 3 pls., 7 tables.
- Shelton, J. W., *see* Al-Shaieb, Zuhair, Hanson, R. E., Donovan, R. N., and Shelton, J. W.
239. Shoup, R. C., 1980, Correlation of Landsat lineaments with geologic structures, north-central Oklahoma: University of Oklahoma unpublished M.S. thesis, 123 p., 27 p., 5 pls., 2 tables.
- Shurbet, D. H., *see* Cebull, S. E., and Shurbet, D. H.
240. Siegmann, J. M., 1979, Clay mineralogy and burial diagenesis of the Atoka Formation (Pennsylvanian), southeastern Oklahoma: University of Texas at Austin unpublished M.S. thesis.
241. Silver, B. A., Bernard, B. B., and Drexler, Timothy, 1980, Oswego Limestone, Aline-Lambert fields, Oklahoma—source, reservoir, and trap [abstract]: American Association of Petroleum Geologists Bulletin, v. 64, p. 784. (Reprinted in Oklahoma Geology Notes, v. 40, p. 207–208.)
242. Simonsen, A. H., and Cuffey, R. J., 1980, Fenestrate, pinnate, and ctenostome bryozoans and associated barnacle borings in the Wreford Megacyclothem (Lower Permian) of Kansas, Oklahoma, and Nebraska: University of Kansas Paleontological Contributions, Paper 101, 38 p., 11 figs., 11 tables.
243. Singleton, R. H., 1980, Stone, *in* Metals and minerals, v. 1 of Minerals yearbook 1978–79: U.S. Bureau of Mines, p. 843–876, 37 tables.
244. Sippel, R. F., 1979, Sandstone petrology, evidence from luminescence petrography, *in* McBride, E. F., compiler, Diagenesis of sandstone: cement-porosity relationships: Society of Economic Paleontologists and Mineralogists Reprint Series 9, p. 209–233, 18 figs. (Reprinted from Journal of Sedimentary Petrology, v. 38, p. 530–554, 1968; includes Tulip Creek, McLish, and Bromide sands.)
- Smart, Eugene, *see* Der, Zoltan, Smart, Eugene, and Chaplin, Audrey
- Smith, D. J., *see* Takken, Suzanne, and Smith, D. J.
- Smith, P. K., *see* Minsch, J. H., Stover, C. W., Person, W. J., and Smith, P. K.
245. Smith, R. V., and Burtsch, F. W., 1980, Study shows N. Stanley field polymer flood economics: Oil and Gas Journal, v. 78, no. 47, p. 127–134, 6 figs., 6 tables.
246. Smith, S. L., 1980, Environmental pollutant management case history: oil well production pollution in the George M. Sutton Urban Wilderness, section 20, Township 9 North, Range 2 West, Cleveland [County], Oklahoma [abstract]: Oklahoma Geology Notes, v. 40, p. 213. (Reprinted from program of student papers for 1980 AAPG–SEPM–EMD annual meeting.)
247. Steele, K. F., Wagner, G. H., and Sharp, J. B., 1980, Surface and subsurface temperatures of groundwater in the Ouachita Mountains, Arkansas [abstract]: Geological Society of America Abstracts with Programs, v. 12, p. 529.
248. Steffens, G. S., 1980, Analysis of opaque minerals in the Vanoss Group (Pennsylvanian), Oklahoma: University of Oklahoma unpublished M.S. thesis, 106 p., 4 figs., 10 pls., 5 tables.
- Steiner, D., *see* Brewer, J. A., Steiner, D., Brown, L. D., Oliver, J. E., and Kaufman, S.
249. Steinmetz, Richard, 1978, Anatomy of an Arkansas River sand bar [abstract]: *in* Miall, A. D., editor, Fluvial sedimentology: Canadian Society of Petroleum Geologists Memoir 5, p. 858.
- Stone, C. G., *see* Bush, W. V., Haley, B. R., Stone, C. G., and McFarland, J. D., III
250. Stoner, J. D., 1980, Reconnaissance of polychlorinated biphenyls in the Arkansas River between Muskogee and Webbers Falls Lock and Dam, Oklahoma: U.S. Geological Survey Open-File Report 80-216, 6 p., 1 fig., 1 table. (Prepared in cooperation with Oklahoma Water Resources Board.)
251. Stover, C. W., Hubiak, P., Minsch, J. H., and Person, W. J., 1980, Earthquakes in the United States, April–June 1979: U.S. Geological Survey Circular 836-B, 34 p., 11 figs., 2 tables.
252. Stover, C. W., Minsch, J. H., and Reagor, B. G., 1980, Earthquakes in the United States, January–March 1978: U.S. Geological Survey Circular 819-A, 27 p., 9 figs., 1 table.
253. Stover, C. W., Minsch, J. H., Reagor, B. G., and Smith, P. K., 1980, Earthquakes in the United States, January–March 1979: U.S. Geological Survey Circular 836-A, 42 p., 13 figs., 2 tables.
- Stover, C. W., *see* Minsch, J. H., Stover, C. W., and Hubiak, P.
- Stover, C. W., *see also* Minsch, J. H., Stover, C. W., Person, W. J., and Smith, P. K.
254. Strimple, H. L., 1980, The camerata crinoid genus *Dichocrinus* in Morrowan rocks of Oklahoma: Oklahoma Geology Notes, v. 40, p. 107–109, 1 fig.
255. Strimple, H. L., 1980, A new occurrence of the inadunate crinoid genus *Microcaracrinus*: Iowa Academy of Science Proceedings, v. 87, p. 76–78, 2 figs.
256. Strimple, H. L., 1980, Pennsylvanian crinoids from Sangre de Cristo and Sacramento Mountains of New Mexico: New Mexico Bureau of Mines and Mineral Resources Circular 178, 17 p., 2 figs., 2 pls. (Refers to Oklahoma species.)
- Strimple, H. L., *see* Broadhead, T. W., and Strimple, H. L.
- Strimple, H. L., *see also* Frest, T. J., and Strimple, H. L.
- Strimple, H. L., *see also* Frest, T. J., Strimple, H. L., and Witzke, B. J.
- Strimple, H. L., *see also* Pabian, R. K., and Strimple, H. L.
257. Sutherland, P. K., and Manger, W. L., 1980, Upper Morrowan–lower Atokan (Pennsylvanian) conodont–foraminifer biostratigraphy, southern Midcontinent, North America [abstract]: Geological Society of America Abstracts with Programs, v. 12, p. 531. (Reprinted in Oklahoma Geology Notes, v. 41, p. 59–60).
- Sutherland, P. K., *see* Fay, R. O., Friedman, S. A., Johnson, K. S., Roberts, J. F., Rose, W. D., and Sutherland, P. K.
- Sutton, D. L., *see* Tinsley, J. M., Miller, E. C., Sabins, F. L., and Sutton, D. L.
258. Swanson, D. C., 1980, Deltaic deposits in the Pennsylvanian upper Morrowan Formation of the Anadarko Basin [abstract]: Houston Geological Society Bulletin, v. 22, no. 9, p. 3.
- Switek, J., *see* Butz, T. R., Switek, J., Rutledge, D. A.,

- Bard, C. S., Helgerson, R. N., and Grimes, J. G.
259. Takken, Suzanne, and Smith, D. J., 1980, Developments in Oklahoma and Panhandle of Texas: American Association of Petroleum Geologists Bulletin, v. 64, p. 1387–1392, 2 figs., 4 tables.
- Taylor, A. M., *see* Scott, R. W., and Taylor, A. M.
260. Tepordei, V. V., 1980, Sand and gravel, *in* Metals and minerals, v. 1 of Minerals yearbook 1978–79: U.S. Bureau of Mines, p. 763–791, 2 figs., 15 tables.
261. Thomas, J. M., Garland, P. A., White, M. B., and Daniel, E. W., editors and compilers, 1980, Geological and geochemical aspects of uranium deposits, a selected annotated bibliography, v. 4: U.S. Department of Energy Open-File Report ORNL/EIS-121/V4, 201 p. (Prepared by Oak Ridge National Laboratory.)
- Thompson, T. L., *see* Feinstein, Shimon, Harrison, W. E., and Thompson, T. L.
- Thompson, T. L., *see also* Koff, L. R., Thompson, T. L., and Luza, K. V.
- Threlkeld, C. B., *see* Trantham, J. C., Threlkeld, C. B., and Patterson, H. L., Jr.
262. Tinsley, J. M., Miller, E. C., Sabins, F. L., and Sutton, D. L., 1980, Study of factors causing annular gas flow following primary cementing: Journal of Petroleum Technology, v. 32, p. 1427–1437, 22 figs., 3 tables. (Includes Anadarko Basin.)
263. Tongish, C. A., 1980, Helium—its relationship to geologic systems and its occurrence with the natural gases, nitrogen, carbon dioxide, and argon: U.S. Bureau of Mines Report of Investigations/1980, 176 p., 9 figs.
264. Toomey, D. F., 1980, Distribution of Lower Ordovician *Ceratopea* (gastropod opercula) in the Kindblade Formation, Wichita Mountains, southwestern Oklahoma: Oklahoma Geology Notes, v. 40, p. 19–29, 4 figs.
- Toth, D. J., *see* Burruss, R. C., Toth, D. J., and Goldstein, R. H.
- Totten, M. W., *see* Blatt, Harvey, and Totten, M. W.
265. Trantham, J. C., Threlkeld, C. B., and Patterson, H. L., Jr., 1980, Reservoir description for a surfactant/polymer pilot in a fractured, oil-wet reservoir—North Burbank Unit Tract 97: Journal of Petroleum Technology, v. 32, p. 1647–1656, 18 figs., 1 table.
266. Trimble, D. E., 1980, The geologic story of the Great Plains: U.S. Geological Survey Bulletin 1493, 55 p., 30 figs., 1 table.
267. Türkarslan, Muharrem, 1979, Near-surface seismic properties for Permian rock formation at selected sites in Oklahoma: University of Oklahoma unpublished M.S. thesis, 78 p., 23 figs., 13 tables.
268. Tynan, M. C., 1980, Conodont biostratigraphy of the Mississippian Chainman Formation, western Millard County, Utah: Journal of Paleontology, v. 54, p. 1282–1309, 11 figs., 2 pls. (Includes Oklahoma species.)
269. Union Carbide Corporation, 1978, Hydrochemical and stream sediment reconnaissance basic data for Oklahoma City NTMS Quadrangle, Oklahoma: U.S. Department of Energy, National Uranium Resource Evaluation Program, Open-File Report K/UR-107, 38 p. plus 87-p. appendix, 7 pls., tables, illus.
270. U.S. Bureau of Mines staff, Section of Nonferrous Metals, 1980, Germanium, *in* Metals and minerals, v. 1 of Minerals Yearbook 1978–79: U.S. Bureau of Mines, p. 1038–1040, table 7.
271. U.S. Bureau of Mines staff, Section of Nonmetallic Minerals, 1980, Iodine, *in* Metals and minerals, v. 1 of Minerals yearbook 1978–79: U.S. Bureau of Mines, p. 1051–1056, 4 tables.
272. U.S. Department of Energy, 1980, An assessment report on uranium in the United States of America: U.S. Department of Energy Open-File Report GJO-111(80), 150 p., 92 figs., 60 tables.
273. U.S. Geological Survey, 1980, Geohydrology of the Arbuckle–Simpson aquifer in south-central Oklahoma, *in* Geological Survey research 1980: U.S. Geological Survey Professional Paper 1175, p. 138.
274. U.S. Geological Survey, 1980, High Plains regional aquifer study, *in* Geological Survey research 1980: U.S. Geological Survey Professional Paper 1175, p. 138.
275. U.S. Geological Survey, 1980, Mine ponds, a hydrologic asset in eastern Oklahoma, *in* Geological Survey research 1980: U.S. Geological Survey Professional Paper 1175, p. 138.
276. U.S. Geological Survey, 1980, Model study of alluvial aquifer along the Beaver and the North Canadian Rivers, *in* Geological Survey research 1980: U.S. Geological Survey Professional Paper 1175, p. 138.
277. U.S. Geological Survey, 1980, Streamflow and water-quality characteristics of the Coal Creek basin near Lehigh, *in* Geological Survey research 1980: U.S. Geological Survey Professional Paper 1175, p. 138.
278. U.S. Geological Survey, 1980, Water from Gaines Creek and Gaines Creek arm of Lake Eufaula suitable for public supply, *in* Geological Survey research 1980: U.S. Geological Survey Professional Paper 1175, p. 139.
279. U.S. Geological Survey, 1980, Zinc and cadmium content of coal in the Interior coal province, *in* Geological Survey research 1980: U.S. Geological Survey Professional Paper 1175, p. 28.
280. U.S. Geological Survey, 1980, Zinc and coal recoverable from coal mine refuse, *in* Geological Survey research 1980: U.S. Geological Survey Professional Paper 1175, p. 1–2.
281. Vincent, J. W., and Hoge, H. P., 1980, Daughtery [Dougherty] dome: a closer look at a classic field exercise [abstract]: Geological Society of America Abstracts with Programs, v. 12, p. 542. (Reprinted in Oklahoma Geology Notes, v. 41, p. 60.)
282. Visher, G. S., and Rennison, J., leaders, 1978, The Coffeyville format (Pennsylvanian) of northern Oklahoma, a model for an epeiric sea delta: Geological Society of America Guidebook, 24 p., 14 figs. (Prepared for 12th annual meeting of South-Central Section of Geological Society of America, Tulsa, Oklahoma, March 1978.)
283. von Bitter, P. H., and Merrill, G. K., 1980, Naked species of *Gondolella* (Conodontophorida): their distribution, taxonomy, and evolutionary significance: Royal Ontario Museum Life Sciences Contributions 125, 49 p., 13 figs., 4 tables. (Includes Oklahoma species.)
- Wagner, G. H., *see* Steele, K. F., Wagner, G. H., and Sharp, J. B.
284. Webster, R. E., 1980, Evolution of S. Oklahoma aulacogen: Oil and Gas Journal, v. 78, no. 7, p. 150, 152, 156, 160, 164, 166, 168, 172, 10 figs.
- Weeks, J. B., *see* Gutentag, E. D., and Weeks, J. B.
285. Weyer, von Dieter, 1980, Zur Kenntnis seltener Pet-

- raiidae (Anthozoa, Rugosa) aus dem amerikanischen Obersilur: Zeitschrift für Geologische Wissenschaften, v. 8, no 9, p. 1209–1216, 5 figs. (In German; includes Oklahoma corals.)
- White, M. B., *see* Thomas, J. M., Garland, P. A., White, M. B., and Daniel, E. W.
286. Wickersham, Ginia, 1980, Ground-water management in the High Plains: *Ground Water*, v. 18, p. 286–290, 3 figs., 2 tables.
287. Wickham, J. S., 1978, Arbuckle breccias, the Collings Ranch Conglomerate and the Washita Valley Fault Zone, *in* Wickham, John, and Denison, Rodger, leaders, Structural style of the Arbuckle region: Geological Society of America Guidebook, p. 100–102. (Prepared for 12th annual meeting of South-Central Section of Geological Society of America, Tulsa, Oklahoma, March 1978.)
288. Wickham, J. S., 1978, Arbuckle Lake dam overlook, *in* Wickham, John, and Denison, Rodger, leaders, Structural style of the Arbuckle region: Geological Society of America Guidebook, p. 76–78, figs. 19–20. (Prepared for 12th annual meeting of South-Central Section of Geological Society of America, Tulsa, Oklahoma, March 1978.)
289. Wickham, J. S., 1978, Hunton–Woodford contact and thrust faulting, *in* Wickham, John, and Denison, Rodger, leaders, Structural style of the Arbuckle region: Geological Society of America Guidebook, p. 85–89, figs. 26–27. (Prepared for 12th annual meeting of South-Central Section of Geological Society of America, Tulsa, Oklahoma, March 1978.)
290. Wickham, J. S., 1978, Oil Creek Formation, *in* Wickham, John, and Denison, Rodger, leaders, Structural style of the Arbuckle region: Geological Society of America Guidebook, p. 98–99, fig. 34. (Prepared for 12th annual meeting of South-Central Section of Geological Society of America, Tulsa, Oklahoma, March 1978.)
291. Wickham, John, 1978, Ouachita Foldbelt: a Paleozoic continental margin, *in* Wickham, John, and Denison, Rodger, leaders, Structural style of the Arbuckle region: Geological Society of America Guidebook, p. 47–64, figs. 13–16. (Prepared for 12th annual meeting of South-Central Section of Geological Society of America, Tulsa, Oklahoma, March 1978.)
292. Wickham, J. S., 1978, Pennsylvanian of the Ardmore Basin, *in* Wickham, John, and Denison, Rodger, leaders, Structural style of the Arbuckle region: Geological Society of America Guidebook, p. 90–95, figs. 28–32. (Prepared for 12th annual meeting of South-Central Section of Geological Society of America, Tulsa, Oklahoma, March 1978.)
293. Wickham, John, 1978, The Southern Oklahoma Au-lacogen, *in* Wickham, John, and Denison, Rodger, leaders, Structural style of the Arbuckle region: Geological Society of America Guidebook, p. 8–41, 12 figs. (Guidebook prepared for 12th annual meeting of South-Central Section of Geological Society of America, Tulsa, Oklahoma, March 1978.)
294. Wickham, J. S., 1978, Southern Rock Asphalt Quarry, *in* Wickham, John, and Denison, Rodger, leaders, Structural style of the Arbuckle region: Geological Society of America Guidebook, p. 79–84, figs. 21–25. (Prepared for 12th annual meeting of South-Central Section of Geological Society of America, Tulsa, Oklahoma, March 1978.)
295. Wickham, John, and Denison, Rodger, leaders, Structural style of the Arbuckle region: Geological Society of America Guidebook, 111 p., 34 figs., 2 pls., 4 map sheets. (Prepared for 12th annual meeting of South-Central Section of Geological Society of America, Tulsa, Oklahoma, March 1978.)
296. Wilhite, D. A., and Hoffman, R. O., editors, 1980, Drought in the Great Plains: a bibliography: University of Nebraska—Lincoln, Agricultural Experiment Station, 75 p.
- Wilkinson, B. H., *see* Blake, D. F., Peacor, D. R., and Wilkinson, B. H.
297. Wilson, L. R., 1980, Comparison of the litho- and biostratigraphy at the Pennsylvanian–Permian boundary in Oklahoma and Kansas [abstract]: Palynology, v. 4, p. 254.
298. Wilson, M. D., and Pittman, E. D., 1979, Authigenic clays in sandstones: recognition and influence on reservoir properties and paleoenvironmental analysis, *in* McBride, E. F., compiler, Diagenesis of sandstone: cement-porosity relationships: Society of Economic Paleontologists and Mineralogists Reprint Series 9, p. 45–73, 21 figs., 4 tables. (Reprinted from *Journal of Sedimentary Petrology*, v. 47, p. 3–31, 1977; includes Spiro sand.)
- Witzke, B. J., *see* Frest, T. J., Strimple, H. L., and Witzke, B. J.
299. Woodruff, C. M., Jr., 1980, Regional tectonic features of inner Gulf Coast: *Oil and Gas Journal*, v. 78, no. 45, p. 264, 268, 270, 275, 3 figs. (Includes Ouachita and Arbuckle areas.)
300. Yacone, F. A., 1980, Optimized drilling techniques significantly decrease drilling time—East Apache Field: *Journal of Petroleum Technology*, v. 32, p. 1877–1888, 10 figs., 9 tables.
- Zeigler, R. K., *see* Garrett, R. G., Kane, V. E., and Zeigler, R. K.

Index

(Numbers refer to entries in bibliography)

age dating: ^{14}C , Keyes Chondrite, 232; isotopic, Precambrian rocks, Arbuckle Mountains, 119; radiometric, Cambrian igneous rocks, Wichita Mountains, 104

Amarillo–Wichita Uplift, 284

ANADARKO BASIN:

classification of basin type, 127
hydrocarbon-bearing sandstones, 54
hydrocarbon-generation overpressures, 159
Marchand sands, 231
Oswego Limestone, 160
petroleum and natural gas, 54, 58, 87, 90, 108, 127, 141, 142, 159, 160, 206, 234, 262, 284, 300
sedimentology, 14, 54, 90, 108, 160, 231
structure and tectonics, 14, 15, 54, 101, 102, 108, 128, 231, 284, 293

annual reports: Oklahoma Department of Mines, 74; Oklahoma Geological Survey, 154; Oklahoma Water Resources Board, 189

ARBUCKLE MOUNTAINS:

Arbuckle Anticline, 287, 289
basement rocks, 61, 62, 63
breccias, 287
Cambro–Ordovician carbonates, 204
Collings Ranch Conglomerate, 287
Criner Arch, Criner Uplift, 284, 292
Dougherty Dome, 281
Hunton–Woodford contact, 289
Oil Creek Formation, 290
Pennsylvanian rocks, general, 77
Reagan Fault, 288, 289, 290, 292, 294
sedimentology, 204, 205
sphalerite deposits, 205
stratigraphy, 65, 77
structure, 61, 97, 98, 137, 281, 284, 287, 288, 289, 290, 292, 293, 294, 295
Ten Acre Rock, 63
Tishomingo–Belton Anticlines, 61
Tishomingo Granite, geomorphology, 119
travertine, 62
Washita Valley Fault, 15, 287, 288, 289, 290, 292, 293

ARDMORE BASIN:

Pennsylvanian rocks, 77, 292
sedimentology, 292
Southern Rock Asphalt Quarry, 294
structure and tectonics, 78, 284, 292, 293

ARKOMA BASIN:

Choctaw Fault, 8
classification of basin type, 127
Hunton Arch, 8
Hunton Group rocks, 8
Kiowa Syncline, 221
Pennsylvanian rocks, general, 77
petroleum and natural gas, 8, 40, 127, 140, 144
sedimentology, 8
stratigraphy of Desmoinesian coals, 221
structure, 8, 221
waste disposal, potential sites, 120

bibliographies: drought in the Great Plains, 296; Oklahoma geology (1979), 100

Black Mesa State Park, 213

CAMBRIAN:

Arbuckle Group, 113, 161, 204, 205, 273: Arbuckle aquifer, 113, 273; Butterly Formation, 205; Fort Sill Formation, 161; Royer Dolomite, 205; Signal Mountain Limestone, 161
Carlton Rhyolite Group, 44, 61, 104, 209, 284: Roosevelt gabbros, 209
Cambro–Ordovician carbonates, 204
Cold Springs Breccia, 209

Glen Mountain Layered Series, 1
Navajo Mountain Group, 209, 284
Otter Creek Microdiorite, 209

Raggedy Mountain Gabbro Group, 1, 284

Tillman Metasedimentary Group, 284

Wichita Granite Group, 44, 95, 104, 180, 209, 229, 284: Headquarters Granite, 180, 209; Lugert Granite, 180, 209, 229; Mount Scott Granite, 95, 104, 180, 209; Quanah Granite, 95, 104, 180, 209, 229; Reformatory Granite, 95, 180, 209
Wichita Mountains, 1, 42, 43, 44, 95, 104, 161, 180, 209, 284

Central Oklahoma Platform, 22, 181: petroleum and natural gas, 22, 181; structure, 22, 181

climatology: drought, 156, 296; lightning studies, 175; thunderstorm-frequency analysis, 130

COAL:

analyses, 91, 279
coal beds: Cavanal, 77, 91; Croweburg, 77, 91, 162; Dawson, 91; Hartshorne, 77, 91, 111, 162; Henryetta, 162; Iron Post, 77, 91; McAlester, 77, 91, 111; Mineral, 77, 91; Rowe, 77, 91; Secor, 77, 91; Sequoyah, 162; Stigler, 77, 91, 162; Weir–Pittsburg, 77, 91; Witteville, 91
coal-cleaning plants, 163
coking-coal seams, 162
directory of mines, 163
general, 77
mined-lands reclamation, 118
mineralogy: sphalerite in bituminous coals, 51
mining problems associated with facies, 111
natural gas from coal, 206
Oklahoma Geological Survey programs, 154
producers and operators, 74, 163, 164, 183
recoverability of zinc and coal from mine refuse, 280
reserves and resources, 74
statistics, 77, 183
stratigraphy of Desmoinesian coals, 221
zinc and cadmium content, 279

copper mineralization, 56, 73, 222

COUNTIES:

all counties: mineral production, 74; petroleum and natural gas, 13, 201, 210; waste-disposal, potential sites, 120; water reports, 189, 190, 191, 192, 194

all north-central Oklahoma counties, fault lineaments, 239

Adair: Pitkin Formation, 50

Alfalfa: Aline–Lambert Field, 72, 241; earthquakes, 135; Medford anomaly, 226

Atoka: coal, 91; earthquakes, 134; petroleum and natural gas, 172; Wapanucka Formation, 96

Beaver: earthquakes, 134; vertebrate fossils, 216

Beckham: earthquakes, 135, 199; petroleum and natural gas, 141, 142, 234; soil survey, 83; water resources, 125

Blaine: diabase intrusions, 59; earthquakes, 135; Kingfisher anomaly, 18; seismology, 17

Bryan: basement rocks, 63; petroleum and natural gas, 172; Woodbine Formation, 112

Caddo: Cement district, uranium, 2; earthquakes, 135; Lime-stone Hills, 16; petroleum and natural gas, 80, 155, 173; uranium, 2, 44; vertebrate fossils, 216; Woodford formation, 80

Canadian: earthquakes, 134, 135; Kingfisher anomaly, 18; *Kirkidium* biofacies, 9

Carter: ammonoids, 153; earthquakes, 134, 135

Cherokee: blastoids, 150; Pitkin Limestone and Fayetteville Shale, 196

Choctaw: La Harpe expedition, 76; Woodbine Formation, 112

Cimarron: Black Mesa State Park, 213; dinosaurs, 69; hydrogeochemical study for uranium, 167

Cleveland: earthquakes, 135; George M. Sutton Wilderness, pollution management, 246; seismicity, Hennessey Shale and Garber Formation, 267

- Coal: coal, 91; earthquakes, 134, 135
 Comanche: Limestone Hills, 16; Raggedy Mountain Gabbro Group, 1; uranium, 44
 Cotton: uranium, 44
 Craig: coal, 91; Quaternary geomorphology, 107
 Creek: Misener Sandstone, 22, 23, 24, 25; petroleum and natural gas, 155; structure, 22, 23, 24, 25
 Custer, Oswego Limestone, 160; volcanic-ash deposit, 30
 Dewey: earthquakes, 134; Oswego Limestone, 160
 Ellis: earthquakes, 134; Ogallala ash deposit, 30
 Garfield: diabase intrusions, 59; Kingfisher anomaly, 18, 226; Medford anomaly, 226; Wellington Formation, 73
 Garvin: earthquakes, 135
 Grady: earthquakes, 135; petroleum and natural gas, 141
 Grant: Aline-Lambert Field, 72; copper deposit, 56; diabase intrusions, 59; Medford anomaly, 226
 Harmon: oil well, 143
 Harper: vertebrate fossils, 216
 Haskell: coal, 91, 162; earthquakes, 134, 135; petroleum and natural gas, 144, 145
 Hughes: earthquakes, 134, 135
 Jackson: water resources, 125
 Johnston: Blue River Gneiss, 62; earthquakes, 134; glass-sand quarry, 64; granite quarry, 63; Oil Creek Sandstone, 64; Ten Acre Rock, 63; Tishomingo Granite outcrop, 119
 Kay: earthquakes, 134; Mervine Anticline, 94; Three Sands Field, 53
 Kingfisher: diabase intrusions, 59; Kingfisher anomaly, 18; seismology, 11, 17, 267
 Kiowa: gastropods, 264; Raggedy Mountain Gabbro Group, 1; uranium, 44; water resources, 125
 Latimer: coal, 91; La Harpe expedition, 76; petroleum and natural gas, 144, 145, 172; Wapanucka Formation, 96
 Le Flore: coal, 91, 162; earthquakes, 134; petroleum and natural gas, 144, 145
 Lincoln: earthquakes, 135; Foraker Limestone, 92; Misener Sandstone, 22, 23, 24, 25; petroleum and natural gas, 155; structure, 22, 23, 24, 25
 Logan: earthquakes, 134, 135; vertebrate fossils, 216; Wellington Formation, 73
 Love: earthquakes, 134, 135
 McClain: earthquakes, 134, 135, 138; McClain County Fault, 129, 138
 McCurtain: Arkansas Novaculite, 177, 178, 179; earthquakes, 134, 135; La Harpe expedition, 76; Woodbine Formation, 112
 McIntosh: La Harpe expedition, 76
 Major: diabase intrusions, 59; Kingfisher anomaly, 18
 Marshall: general geology and stratigraphy, 37; petroleum and natural gas, 172; soil survey, 39; Woodbine Formation, 112
 Mayes: coal, 91; earthquakes, 134
 Muskogee: Arkansas River, PCB concentration, 250; blastoids, 150; coal, 91; La Harpe expedition, 76; Pitkin Limestone and Fayetteville Shale, 196
 Noble: county report, 238; earthquakes, 135; petroleum and natural gas, 238; Three Sands Field, 53; Wellington Formation, 73
 Nowata: coal, 91; Quaternary geomorphology, 107
 Okfuskee: earthquakes, 134
 Oklahoma: Oklahoma City Field, 218, 284
 Okmulgee: coal, 91, 162
 Osage: Foraker Limestone, 92; fossil fish, 103; North Burbank Unit, 33, 155, 265; North Stanley Field, 155, 245
 Ottawa: saddle dolomite, 217
 Pawnee: Foraker Limestone, 92
 Payne: earthquakes, 135; Foraker Limestone, 92
 Pittsburg: coal, 91, 162, 221; earthquakes, 134, 135; La Harpe expedition, 76; petroleum and natural gas, 172; Wapanucka Formation, 96
 Pontotoc: corals, 285; fossil crustaceans, 227; Henryhouse bryozoan, 19
 Pushmataha: La Harpe expedition, 76; petroleum and natural gas, 144, 145, 172
 Roger Mills: petroleum exploration, 234
 Rogers: coal, 91, 162; Quaternary geomorphology, 107
 Sequoyah: coal, 91, 162; earthquakes, 135
 Stephens: Loco Field, 155; Sho-Vel-Tum, 155
 Texas: hydrogeochemical study for uranium, 167; Morrow Formation, 58, 197; Ogallala aquifer, 174
 Tillman: earthquakes, 134; uranium, 44
 Tulsa: coal, 91; earthquakes, 134; Glen Pool, 155
 Wagoner: coal, 91; La Harpe expedition, 76; Pitkin Limestone and Fayetteville Shale, 196
 Washington: coal, 91
 Washita: earthquakes, 135; petroleum and natural gas, 141, 142, 234
 Woods: natural-gas eruptions, 214, 215
 Woodward: iodine plant, 67
- CRETACEOUS:**
- Bryan County, 112
 - Choctaw County, 112
 - Cimarron County, 213
 - Comanchean Series:
 - Dakota Group, Formation, 213, 230
 - Purgatoire Formation, 213; Cheyenne Sandstone Member, 213, 230; Kiowa Shale Member, 230
 - Trinity Group, 37: Antlers Sandstone, 37
 - Washita Group, 37, 120: Bennington Limestone, 37; Bokchito Formation, 37, 120; Caddo Formation, 37; Grayson Marlstone, 37
 - Gulfian Series:
 - Eagle Ford Formation, 120
 - Woodbine Formation, 37, 112: Dexter Member, 112; Lewisville Shale, 112; Red Branch Member, 112; Templeton Shale, 112
 - McCurtain County, 112
 - Marshall County, 37, 112
- earthquakes, 133, 134, 135, 138, 165, 166, 199, 239, 251, 252, 253
 ecology (see also Paleogeology, etc.): correlation of vegetation with geologic formations, 220
- DEVONIAN:**
- Arkansas Novaculite, 172, 173, 177, 178, 179
 - Devonian-Mississippian boundary, 58, 77, 177, 178, 179
 - Hunton Group, 8, 22, 23, 24, 25, 47, 146, 172, 289: Bois d'Arc Formation, 8, 289; Frisco Formation, 8; Haragan Formation, 8, 47, 146; Sallisaw Formation, 8
 - Hunton-Woodford contact, 289
 - Misener Sandstone, 8, 22, 23, 24, 25, 54
 - Silurian-Devonian boundary, 8, 146
 - Sylamore Formation, 8
 - Woodford Formation, 22, 24, 25, 80, 120, 139, 172, 173, 289
- ENVIRONMENTAL GEOLOGY:**
- drought: bibliography, 296; effects of 1976–77 drought, 156
 - flooding: Beckham County, 83; flood-insurance program, 189; flood-prevention program, 190; Grady County, 32; Marshall County, 39
 - land use: Beckham County, 83; Grady County, 32; Marshall County, 39
 - lightning studies, 175
 - mined-lands reclamation, eastern Oklahoma, 118
 - natural-gas eruption, Woods County, 214, 215
 - Oklahoma Comprehensive Water Plan, 189, 190, 195
 - Oklahoma Geological Survey programs, 154
 - pollution management, Cleveland County wilderness area, 246
 - waste disposal, 120, 182, 189
- water management: Beckham County, 83; general, 189, 190, 195; Grady County, 32; Marshall County, 39; Ogallala aquifer, 285; regulations, 189, 190, 191, 192, 193, 194; river basins, 191; rural water systems, 194
- water quality: Arkansas River, 169, 250; Coal Creek Basin, 277; Comanche Lake, 152; effects of heated effluents, 152; effects of 1976–77 drought, 156; effects of oil and gas production on salinity, 113; Gaines Creek, 278; general, 189, 190, 191, 194; High Plains aquifers, 131, 132, 274; Illinois River, 168; Lawton Quadrangle, general, 27; mine ponds, eastern Oklahoma, 275; regulations, 189, 190, 191, 193, 194; temperature monitoring, 168, 169; Tenkiller Ferry Reservoir, 168; Tri-State aquifers, 147, 148; Wichita Mountains, 44
- water usage, 192

- GEOCHEMISTRY:**
- chromatographic analysis of hydrocarbons, 241
 - coal analyses for zinc and cadmium, 279
 - fluorescence of hydrocarbon-fluid inclusions, Fayetteville Formation, 40
 - geochemical exploration: analysis of regional data, 93; helium-gas analysis, 219; hydrogeochemical surveys, 44, 131, 167, 185, 186, 269
 - geothermal measurements, Southern Oklahoma Aulacogen, 78
 - helium-gas analysis, use in energy-resource exploration, 219
 - hydrogeochemical surveys: Dalhart Quadrangle, 167; High Plains aquifers, 131, 132; Oklahoma City Quadrangle, 269; Wichita Uplift, 44, 185, 186
 - hydrous basic rocks, Wichita Mountains, 208
 - microprobe analysis of polychaetes, *Viola Limestone*, 52
 - noble gases in sedimentary rocks, 203
 - origin of phosphates in black shales, 223
 - Raggedy Mountain Gabbro Group, 1
 - uranium exploration: Clinton and Lawton Quadrangles, 93; Dalhart Quadrangle, 167; Oklahoma City Quadrangle, 269; Wichita Uplift, 44, 185, 186
 - Wellington Formation, 73
 - Wichita granites, 180, 229
 - X-ray analyses of calcium-dolomite fossil material, 28
- GEOMORPHOLOGY:**
- Black Mesa State Park, 213
 - Great Plains, 266
 - Quaternary: Craig, Nowata, and Rogers Counties, 107; northeastern and southwestern Oklahoma, 99
- GEOPHYSICS:**
- gravity and magnetic studies: Cement Field, 70; Greenleaf anomaly, 59; history of magnetic surveying, 218; Kingfisher anomaly, 18, 226; Medford anomaly, 226; Muenster-Waurika Arch, 171; northwest-central Oklahoma, 138; northwest Oklahoma, 59
 - radiometric survey, Cement District, 2
 - seismology: Blaine and Kingfisher Counties, 17; earthquake recordings, 133, 134, 135, 138, 165, 166, 199, 251, 252, 253; history of reflection seismograph, 3; Kingfisher County, 11, 17, 267; Mid-Continent Gravity High, 184; Nemaha Uplift, 138, 184; Oklahoma Geophysical Observatory, 133, 134, 135, 138; S and P station anomalies, 224; seismic profiles, Wichita Mountains, 35, 36; S-wave spectra recordings, 66; Wichita-Ouachita Uplift, 184
 - Southern Oklahoma Aulacogen study, 123
 - geothermal resources, Ouachita area, 299
- HISTORY:**
- geological education, The University of Oklahoma, 122
 - La Harpe expedition (1719), 76
 - magnetic surveying, 218
 - reflection seismograph, 3
 - salt mining, Great Salt Plains, 115
 - Three Sands Field, 53
 - Hollis-Hardeman Basin, 136
- HYDROGEOLOGY, HYDROLOGY:**
- effects of 1976-77 drought, 156
 - flooding: Beckham County, 83; Grady County, 32; Marshall County, 39
 - hydrogeochemical surveys, 44, 131, 167, 185, 186, 269
 - infiltration study, Washita River Basin, 233
 - Lawton Quadrangle, general, 27
 - Oklahoma Comprehensive Water Plan, 189, 190, 195
 - Oklahoma Geological Survey programs, 154
 - regulations, 189, 190, 191, 192, 193, 194
 - resources: alluvial aquifers: Beaver and Canadian Rivers, 276; North Fork of Red River, 125; Panhandle, 98; Arbuckle-Simpson aquifer, 273; Beckham County, 83; Coal Creek Basin, 277; dune-sand alluvium, western Oklahoma, 98; Gaines Creek, 278; general, 189, 190, 195; Grady County, 32; High Plains aquifers, 131, 132, 274; Lawton Quadrangle, 27; Marshall County, 39; mine ponds, eastern Oklahoma, 275; Noble County, 238; Ogallala aquifer, 98, 174, 286
 - rural water systems, 194
- subsurface waters: Ada aquifer, 27; alluvial aquifers: Beaver and Canadian Rivers, 276; North Fork of Red River, 125; Panhandle, 98; Arbuckle aquifer, 113, 273; Cedar Hills aquifer, 27; Dalhart Quadrangle, hydrogeochemistry, 167; dune-sand waters, 98; Garber-Wellington aquifer, 113, 238; general, 189, 190, 193, 194, 195; groundwater temperatures, Ouachita Mountains, 247; High Plains regional aquifers, 113, 274; hydrogeochemistry of ground water, 44, 131, 132, 167, 185, 186, 269; Lawton Quadrangle, general, 27; Noble County, 238; Ogallala aquifer, 98, 113, 131, 132, 174, 286; Oklahoma City Quadrangle, hydrogeochemistry, 269; Oscar (Wichita) aquifer, 113; Roubidoux aquifer, 147, 148; Rush Springs aquifer, 113; Simpson aquifer, 273; Tri-State aquifers, 148; Vamoosa aquifer, 27, 113; Wichita Uplift, uranium content, 44
 - surface waters: Arkansas River, 169, 238, 249, 250; Coal Creek Basin, 277; Comanche Lake, 152; Dalhart Quadrangle, uranium, 167; Gaines Creek, 278; general, 189, 190, 191, 193, 194, 195; hydrogeochemical studies, 44, 167, 185, 186, 269; Illinois River, 168; Lake Eufaula, 278; Lawton Quadrangle, general, 27; mine ponds, eastern Oklahoma, 275; Noble County, 238; Oklahoma City Quadrangle, hydrogeochemistry, 269; Red River, 228; Tenkiller Ferry Reservoir, 168; Washita River Basin, 233; Wichita Uplift, uranium content, 44
 - water management: Beckham County, 83; general, 189, 190, 194, 195; Grady County, 32; ground water, general, 286; management basins, 191; Marshall County, 39; river basins, 191; rural water systems, 194
 - water quality: Arkansas River, 169, 250; Coal Creek Basin, 277; Comanche Lake, 152; Dalhart Quadrangle, uranium concentrations, 167; effects of heated effluents, 152; effects of 1976-77 drought, 156; effect of oil and gas production on salinity, 113; Gaines Creek, 278; general, 189, 190, 191, 194; High Plains aquifers, 131, 132, 274; Illinois River, 168; Lawton Quadrangle, general, 27; mine ponds, eastern Oklahoma, 275; Noble County, 238; regulations, 189, 190, 191, 193, 194; standards, 189, 191; temperature monitoring, 168, 169; Tenkiller Ferry Reservoir, 168; Tri-State aquifers, 147, 148; Wichita Mountains, 44
 - water usage, 192, 194
- indexes: *Oklahoma geology* (1979), 100; *Oklahoma Geology notes* (1980), 188
- Jurassic, Morrison Formation, 69
- La Harpe expedition (1719), 76
- Marietta Basin, structure and tectonics, 78, 284, 293
- meteorites: Keyes Chondrite, age dating, 232; Lost City, new mineral, 49
- MINERAL INDUSTRIES:**
- brick manufacturing, 7
 - commodities: ammonia plant, 85; asphalt, 294; cement, 68; chat, 77; clay and shale, 7, 74, 77; coal, see Coal; copper, 56, 73, 74; crushed stone, 243; feldspar, 207; gallium, 200; germanium, 270; glass sand, 64; granite, 74, 243; gypsum, 74, 211; helium, 84, 263; iodine, 67, 77, 271; lead and zinc, 26, 45, 74, 77, 280; lime, 212; limestone, 77; nitrogen, 85; petroleum and natural gas, see Petroleum and Natural Gas; pumice (volcanic ash), 74, 157; salt, 74, 86, 115; sand and gravel, 74, 77; stone, 74, 243; sulfur, 235; thorium processing, 126; tripoli, 21, 74, 77; uranium, see Uranium; vermiculite exfoliating plant, 158
 - English, Otis, new Chief Mine Inspector, 74
 - exploration, lead and zinc, 26
 - history: La Harpe expedition (1719), 76; salt mining, Great Salt Plains, 115
 - mine disasters, 74
 - Oklahoma Miner Training Institute, 74
 - producers, 21, 74, 85, 126, 270, 271
 - Southern Rock Asphalt Quarry, 294
 - statistics, 7, 55, 68, 74, 84, 86, 207, 211, 212, 243
 - zinc plant, 45
- MISSISSIPPIAN:**
- Chesterian Series:
 - Caney Shale, 80, 120, 227; Delaware Creek Member, 120
 - contrast with Morrowan rocks, Texas County, 58
 - Fayetteville Shale, 40, 120, 196

- Goddard Shale, 120, 268
 Hindsville Formation, 38
 Pitkin Formation, 50, 150, 196, 268
 Springer Formation, 80, 87
 Stanley Group, 172; Stanley sands, 172
 Devonian–Mississippian boundary, 58, 77, 177, 178, 179
 general, Mississippian System in Oklahoma, 77
 Kinderhookian: Arkansas Novaculite, 172, 173, 177, 178, 179;
 Woodford Shale, 80, 139, 172, 173
 lead and zinc, 77
 Mississippian–Pennsylvanian boundary, 58, 77
 stratigraphy, general, 77
 tripoli, 77
 Mississippian–Pennsylvanian boundary, 58, 77
 Muenster–Waurika Arch: radioactive anomalies, 171; structure, 170, 171, 284, 293; uranium-bearing Permian sands, 170, 171
 Nemaha Ridge, Nemaha Uplift: earthquakes, 134, 135, 138; seismicity, 138; structure, 15, 26, 94, 129, 134, 135, 138
 Northern Oklahoma Shelf, Pennsylvanian rocks, 77
 Oklahoma City Quadrangle, NURE study, 269
 Oklahoma City Uplift, structure, 129, 138
 Oklahoma Geological Survey: annual report, 154; coal programs, 154; energy programs, 154; environmental programs, 154; geothermal-resource program, 154; hydrologic investigations, 154; mapping programs, 154; mineral investigations, 154; Oklahoma Geophysical Observatory, 133, 134, 135, 138, 154; petroleum and natural-gas programs, 154; seismic investigations, 154
 Oklahoma Geophysical Observatory, 133, 134, 135, 138, 154
- ORDOVICIAN:**
- Arbuckle Group, 87, 124, 204, 264: Cool Creek Formation, 124; Kindblade Formation, 124, 264; McKenzie Hill Formation, 124; West Spring Creek Formation, 124
 - Bigfork Chert, 172
 - Cambro–Ordovician carbonates, Arbuckle Mountains, 204
 - Hunton Group, 8, 87: Chimneyhill Subgroup, 8: Keel Formation, Ideal Quarry Member, 8; Pettit Formation, 8
 - Ordovician–Silurian boundary, 8
 - Simpson Group, Simpson sand, 22, 25, 54, 60, 64, 87, 89, 124, 149, 210, 237, 244, 273, 290: Bromide Formation, 34, 54, 89, 244; Corbin Ranch Formation, 54; Joins Formation, 124, 149; McLish Formation, 54, 244; Oil Creek Formation, 54, 60, 64, 202, 290; Simpson aquifer, 273; Tulip Creek Formation, 244
 - Stringtown Shale, 81
 - Sylvan Shale, 8, 22, 23, 24, 117, 172
 - Viola Formation, 22, 25, 52, 54, 117, 239
 - Welling Formation, 8
 - Wichita Mountains, 42, 43
 - Womble Formation, 172
- OUACHITA MOUNTAINS:**
- Arkansas Novaculite, 172
 - Benton–Broken Bow Uplift, 291
 - geothermal resources, 299
 - ground-water temperatures, 247
 - Pennsylvanian rocks, 77
 - petroleum and natural gas, 144, 145, 172, 173, 206
 - relation to Appalachian Mountains, 54
 - relation to Gulf of Mexico, 46
 - sedimentation, 54, 96, 177, 178, 179, 291
 - source of Kansas Pennsylvanian sediments, 176
 - source of Muenster–Waurika Arch sediments, 171
 - stratigraphy, 77, 96, 291
 - structure and tectonics, 10, 12, 46, 54, 128, 172, 177, 178, 179, 284, 291, 299
- PALEOECOLOGY, PALEOENVIRONMENTS, PALEOGEOGRAPHY:**
- basal Pennsylvanian, Kay County, 94
 - Chesterian, Cherokee, Muskogee, and Wagoner Counties, 196
 - Coffeyville format, 282
 - Early Cretaceous, paleocommunities, 230
 - Foraker Limestone, 92
 - Grayhorse Limestone, 48
 - Great Plains, general, 266
 - Lower Permian, 242
 - Middle Paleozoic, Anadarko and Arkoma Basins, 8
- Morrison Formation, 69
 Morrow sands, Anadarko Basin, 14
 Phanerozoic, nautiloid evidence, 57
 pre-Morrow surface, 54
 pre-Viola surface, 54
 Quaternary: northeastern Oklahoma 107; northeastern and southwestern Oklahoma, 99
 Upper Pennsylvanian seas, 106
- PALEOZOOLOGY:**
- ammonoids, 153
 - barnacles, 242
 - biotics, Henryhouse bryozoans, 19
 - blastoids, 150
 - brachiopods, 9
 - bryozoans, 19, 20, 242
 - chitinozoans, 117
 - copepods, 223
 - corals, 225, 285
 - crinoids, 28, 34, 38, 75, 88, 89, 198
 - crustaceans, 227
 - fecal pellets, 223
 - Foraker Limestone, general, 92
 - gastropods, 109, 264
 - graptolites, 81, 117
 - nautiloids, 57
 - paleocommunities: Early Cretaceous, 230; Foraker Limestone, 92
 - trilobites, 47, 110
 - vertebrates, 69, 103, 105, 216: dinosaurs, 69; fish, 103; reptiles, 105
 - worms, polychaetes, 52
- palynology, application in determination of organic metamorphism, Southern Oklahoma Aulacogen, 78
- PENNSYLVANIAN:**
- Atokan Series:**
 - Atoka Formation, 41, 120, 240
 - Lake Murray Formation, 292: Bostwick Conglomerate, 292
 - Spiro sand, 202, 298
 - Thirteen Fingers Limestone, 58
 - coals, 74, 77, 91, 107, 111, 162, 221
 - crinoids, 28, 75, 198
 - Desmoinesian Series:**
 - Cabaniss Group, 72, 107, 120, 160, 223, 239, 241: Oswego Limestone, 72, 160, 239, 241; Senora Formation, 107, 120, 160: Croweburg coal, 107; Wetumka Formation, 120, 223: Excello Shale Member, 223
 - Cherokee Group, 54, 80, 237; Booch Sandstone, 54; Red Fork Sandstone, 237
 - Deese Group, 28, 292: Buckhorn Asphalt, 28; Deese Formation, 292: Devil's Kitchen Member, 292
 - Krebs Group, 79, 91, 111, 221, 237: Bartlesville sand, 237; Boggy Formation, 120, 221; coals, 77, 91, 111, 221; Hartshorne Formation, Hartshorne coals, 77, 91, 111, 221; McAlester Formation, 120; Savanna Formation, 120; Stuart Shale, 120
 - Marmat Group, 27, 109, 120, 203, 223, 239: Big Lime, 239; Holdenville Formation, 27, 120; Labette Formation, 120; Nowata Formation, 120; Oologah Formation, 120: Bandera Shale Member, 120, 223; Wewoka Formation, 109, 120, 203; Wetumka Shale, 120, 223: Excello Shale Member, 223
 - eustatic sea-level changes, Upper Pennsylvanian, 106
 - Gearyan Series:**
 - Cisco Group, 171: Megargle Limestone, 171
 - Council Grove Group, 92: Foraker Limestone: Americus Limestone Member, 92, Hughes Creek Shale Member, 92, Long Creek Limestone Member, 92
 - Oscar Group, 4, 27, 44, 94, 103, 120, 170, 238, 242: Enterprise Shale, 238; Fort Riley Limestone, 238; Garrison Shale, 238; Herington Limestone, 238; Matfield Shale, 238; Post Oak Formation, 4, 44, 170; Red Eagle Limestone, 94, 103; Speiser Shale, 242; Winfield Limestone, 94, 238; Wreford Megacyclothem, 242

- Vanoss Group, 27, 48, 94, 120, 248, 288; Brownville Limestone, 239; Grayhorse Limestone, 48; Red Eagle Limestone, 94, 103
 general, Pennsylvanian System in Oklahoma, 77
 helium, 263
 igneous and metamorphic rocks, 77
 iodine, 77
 Mississippian–Pennsylvanian boundary, 58, 77
 Missourian Series:
 Hoxbar Group, 27, 160, 231, 237, 282; Checkerboard Limestone, 27, 160; Hogshooter Limestone, 27, 282; Layton Sandstone, 231, 237, 282; Lost City algal limestone, 282; Marchand sands, 231
 Ochelata Group, 27, 120; Barnsdall Formation, 27, 120; Chanute Formation, 120; Hilltop Formation, 120; Wann Formation, 27
 Skiatook Group, 27, 120, 231, 282; Checkerboard Limestone, 27, 160; Coffeyville Formation, 27, 120, 231, 282; Hogshooter Formation, 27, 282; Nellie Bly Formation, 27, 120; Seminole Formation, 120
 Stanton Limestone, Kansas, 176
 Morrowan Series:
 Bloyd Formation, 150, 153; Brentwood Member, 150, 153
 Dornick Hills Group, 292; Golf Course Formation, 292; Joliff Member, 292
 Hale Formation, 153, 268; Cane Hill Member, 153; Prairie Grove Member, 153
 Jackfork Group, Jackfork Formation, 236
 Johns Valley Shale, 54, 120
 Morrow chert conglomerate, 234
 Morrow Formation, 14, 54, 58, 197
 Morrow sands, 14, 54, 58; Keyes sand, 14
 Springer Group, Springer Formation, 80, 87, 139, 268, 292; Rod Club Member, 268; Target Limestone, 268
 Wapanucka Formation, 96; Chickachoc Chert Member, 96
 Pennsylvanian–Permian boundary, 92, 297
 petroleum and natural gas, 77
 porosity–depth relationship of shales, 151
 stratigraphy, general, 77
 tectonics, 128
 uranium-bearing sands, 170, 171, 272
 Virgilian Series:
 Ada Group, 27
 Collings Ranch Conglomerate, 287, 292
 Douglas Group, 283; Oread Limestone, 283; Heebner Shale Member, 283; Plattsburgh Limestone Member, 283
 Hollis–Hardeman Basin, Virgilian–Leonardian rocks, 136
 Vamoosa Group, 27, 237; Vamoosa Formation, 237
- PERMIAN:**
- Cimarronian Series:
 El Reno Group, 2, 11, 27, 29, 54, 120, 222; Bison Shale, 120; Blaine Formation, 29; Cedar Hills Sandstone, 27; Chickasha Formation, 2, 11, 17; Dog Creek Shale, 120; Duncan Sandstone, 2, 11, 17; Flowerpot Formation, 17, 54, 120, 222; Cretaceous copper deposit, 222
 Hennessey Group, 2, 27, 44, 120, 170, 185, 186, 267; Bison Formation, 27; Doxey Shale, 120; Fairmont Shale, 27, 120; Hennessey Shale, 2; Kingman Siltstone, 27
 Post Oak Formation, 4, 44, 170, 185
 Sumner Group, 2, 17, 27, 56, 73, 105, 120, 170, 222, 238, 267, 297; Garber Formation, 2, 27, 105, 120, 238, 267; Wellington Formation, 27, 56, 73, 105, 120, 170, 222, 238, 297
 Custerian Series:
 Whitehorse Group, 2; Rush Springs Formation, 2
 Gearyan Series, *see* Pennsylvanian
 helium, 263
 Pennsylvanian–Permian boundary, 92, 297
 porosity–depth relationship of shales, 151
- PETROLEUM AND NATURAL GAS:**
- abnormal pressures: produced by hydrocarbon generation, 159; upper Morrow, 234
 accumulation, entrapment, and reservoirs, 54, 58, 87, 108, 172, 173, 181, 234, 237, 241, 284, 298; Anadarko Basin, 87, 108; Arkansas Novaculite, 172, 173; Central Oklahoma Platform, 181; deltaic reservoirs, Red Fork sandstones, 54; effect of authigenic clays on porosity and permeability, 298; gas-solution drive, Aline–Lambert Field, 241; Morrow chert conglomerates, 234; Morrow sands, Texas County, 58; North Burbank reservoir, 265; Pennsylvanian sandstones, 237; Southern Oklahoma Aulacogen, 284
 Anadarko Basin, 54, 58, 87, 90, 108, 127, 141, 142, 159, 160, 206, 234, 262, 284, 300
 Arkoma Basin, 8, 40, 127, 140, 144
 basin-type classification, 127
 Central Oklahoma Platform, 181
 deep wells, 90, 108, 141, 142; Anadarko Basin, 108, 141, 142; diagenesis of carbonates in, 90
 effect of oil and gas production on aquifer salinity, 113
 enhanced recovery: CO₂ miscible, 155; hydrocarbon miscible, 155; secondary oil from stripper wells, 114; steam, 155;
 surfactant/polymers: North Burbank Unit, 33, 155, 265, North Stanley Field, 155, 245; waterflooding, North Burbank Unit, 265
 exploration and development: Anadarko Basin, 141, 142; application of helium analysis, 219; Arkoma Basin, 140, 144; general, 13, 121, 210; history of magnetic surveying, 218; history of reflection seismograph, 3; Misener Sandstone production, Creek county, 22, 25; Morrow chert conglomerates, 234; new-field discoveries, number of, 5; new reservoirs in oil field, number of, 5; Ouachita Mountains, 144, 145, 172, 173; Pennsylvanian sandstones, 237; Three Sands Field, 53
 Fayetteville Formation hydrocarbons, 40
 fields, trends, units: Aline–Lambert, 72, 241; all fields, 5, 6, 13, 71, 121, 201, 210; Big Pond, 22; Billings, 238; Binger, 231; Cartersville, 144, 145; Cement, 2, 70, 219, 231; Cushing, 22; Davenport, 22; Depew, 22; East Apache, 300; East Binger, 155, 231; Elk City, 142; Garber, 155; Glen Pool, 155; Golden Trend, 5, 284; Hugoton–Panhandle, 284; Isom, 172; Keyes, 84; Kinta, 144, 145; Lincreek, 22; Loco, 155; Lone Elm, 238; Lucien, 238; Milfay, 22; Milton, 144, 145; Moyers, 144, 145; new fields, general, 201; North Burbank, 33, 155, 265; North Carter, 142; North Stanley, 155, 245; Northeast Alden, 173; Northeast Purdy, 155; Northwest Chickasha, 231; Northwest Norge, 231; Oklahoma City, 218, 284; Olean, 22; Pleasant Mound, 22; Potato Hills, 144, 145; Putnam Trend, 160; Ravendale, 22; Red Bank, 155; Red Oak–Norris, 144, 145; Shellyville, 22; Sho-Vel-Tum, 5, 155, 284; Sooner Trend, 5; South Ceres, 54, 238; South Hydro, 231; Stanley Stringer, 155; Stroud, 22, 155; Three Sands, 53; Wilburton, 144
 general, Mississippian and Pennsylvanian, 77
 generation, source: Aline–Lambert Field, 241; effect on fluid pressures, 159; time–temperature relation, 108
 giant oil fields, 5, 210, 284
 helium, occurrence with natural gas, 84, 263
 history: reflection seismograph, 3; Three Sands Field, 53; training in petroleum geology, 122
 migration: Anadarko Basin, 87; Fayetteville Formation hydrocarbons, 40; mechanisms, 139; Southern Oklahoma Aulacogen, 79
 natural-gas eruption, Woods County, 214, 215
 natural gas from coal, 206
 Noble County, 238
 Palo Duro Basin, 143
 Oklahoma Geological Survey programs, 154
 Ouachita Mountains, 144, 145, 172, 173, 206
 producers, 201
 Southern Oklahoma Aulacogen, 79, 284
 statistics: depth of drilling, 210; drilling, 121, 210; economics, 71, 210; enhanced recovery, 71, 155; exploration and development, 5, 6, 13, 71, 121, 201, 206, 210; production, 5, 6, 71, 77, 155, 201, 210; reserves and resources, 5, 6, 144, 206, 210; stripper wells, 144; waterflooding, 71
 stripper wells, 114

- technology: drilling techniques, East Apache Field, 300; gamma-ray evaluation of reservoir and source rocks, 80; study of gas flow following cementing, 262; surfactant–polymer operations, 33, 155, 245, 265
- PRECAMBRIAN:**
- Blue River Gneiss, 61, 62
 - Glen Mountain Layered Series, 1, 209
 - Keweenawan diabase intrusions, northwestern Oklahoma, 59
 - Raggedy Mountain Gabbro Group, 1, 209, 284; Roosevelt gabbros, 209
 - Tillman Metasedimentary Group, 209, 284; Meers Quartzite, 209
 - Tishomingo Granite, 61, 63, 119
 - Troy Granite, 61
- QUATERNARY:**
- climates, northeastern Oklahoma, 107
 - correlation of vegetation with geologic formations, 220
 - northeastern and southwestern Oklahoma, 99
 - northeastern Oklahoma, 107
 - Pleistocene vertebrate fossils, 216
- REMOTE SENSING**, 82, 116, 175, 239:
- near-infrared aerial photography, application for identifying gypsum outcrops, 82
 - satellite imagery: application for identifying gypsum outcrops, 82; fault-lineament detection, north-central Oklahoma, 239; lightning recordings, infrared imagery, 175; soil-erosion detection by color changes, 116
- SEDIMENTOLOGY:**
- algal-mound complex, Anadarko Basin, 160
 - Anadarko Basin, 14, 54, 90, 108, 160, 231
 - Arbuckle Mountains, 204, 205
 - Arkoma Basin, 8
 - Blaine Formation, marine mudrocks, 29
 - bottom communities, effect of on sedimentation rate, 50
 - boulders, Johns Valley Formation, 54
 - calcilithites, Muenster–Waurika Arch region, 171
 - Cambro–Ordovician carbonates, Arbuckle Mountains, 204
 - channel deposition: Coffeyville Format, 282; Hartshorne Formation, 111; Permian sands, 171; Red River, 228
 - Coffeyville Format, 282
 - cyclothem: Coffeyville Format, 282; Oswego Limestone, 72; upper Pennsylvanian, general, 106; Wreford Megacyclothem, 242
 - deltic deposition: Coffeyville Format, 282; Hartshorne Formation, 111; Morrow chert, 234; Morrow sands, 14, 54; Permian sands, 171
 - diagenesis: alteration of opaque minerals, Vanoss Group, 248; Arkansas Novaculite, silica replacement of carbonate pods, 177, 178, 179; Atoka Formation, 240; authigenic clays in sandstones, 236, 298; cementation of sandstones, 60, 244; copper mineralization, 56, 73; deep burial, carbonates, 90; Desmoinesian coals, paragenesis of minerals in, 51; effects on porosity, Grayhorse Limestone, 48; intrastratal solution, Vanoss Group, 248; Marchand sands, 231; Morrow sands, 54; Permian red-bed copper, paragenesis, 222; Post Oak sandstones, 4; quartz overgrowths in sandstones, 202; saddle dolomite, sulfate reduction, 217; uranium-bearing Permian sandstones, 170, 171
 - evaporite deposition, Flowerpot Shale, 54
 - Fayetteville Shale, facies changes, 196
 - fluvial deposition: Arkansas River sand bar, 249; Ogallala Formation, 98; Red Fork sands, Morrow sands, 54; Red River, 228; upper Morrow chert, 234
 - Grayhorse Limestone, 48
 - Hollis–Hardeman Basin, Virgilian and Leonardian, 136
 - Hunton Group, 8
 - lagoonal deposition, Wapanucka Formation, 96
 - lead and zinc ores, deposition, 87
 - Misener Sandstone, 22, 25
 - Morrow sands, 14, 58
 - Oswego Limestone, 72, 160
 - Ouachita Mountains, 54, 96, 177, 178, 179, 291
 - Permian sands, Muenster–Waurika Arch region, 170, 171
 - Pitkin limestone, facies, 50, 196
 - porosity–depth relationships of shales, 151
 - Red River, 228
 - sphalerite mineralization, Butterly Formation, 205
 - Southern Oklahoma Aulacogen, 78, 293
 - tidal deposition: Misener Sandstone, 22, 25; Morrow sands, 14; Permian sands, 171
 - trapping of noble gases in sedimentary rocks, 203
 - Wapanucka Limestone facies, 96
 - Wichita Mountains, 4
- SILURIAN:**
- Hunton Group, 8, 9, 19, 20, 22, 23, 88, 110, 285;
 - Chimneyhill Subgroup, 8, 19, 20, 110: Blackgum Formation, 8; Clarita Formation, 8, 110: Fitzhugh Member, 8, Prices Falls Member, 8; Cochrane Formation, 8; Keel Formation, 8; Pettit Formation, 8; Quarry Mountain Formation, 8; Barber Member, 8, Marble City Member, 8; Tenkiller Formation, 8
 - Henryhouse Formation, 8, 9, 19, 20, 88, 285
 - Missouri Mountain Formation, 172
 - Ordovician–Silurian boundary, 8
 - Silurian–Devonian boundary, 8, 146
- SOILS:**
- Beckham County, general, 83
 - Grady County, general, 32
 - Marshall County, general, 39
 - paleosols, Quaternary, 99
 - wind-erosion detection by Landsat, 116
- SOUTHERN OKLAHOMA AULACOGEN:**
- geothermal history, 78
 - origin and evolution, 284
 - petroleum and natural gas, 79, 284
 - relation of magma to rifting, 104
 - relation to Delaware Basin, 123
 - sedimentology, 78, 293
 - stratigraphy, 284
 - structure and tectonics, 15, 16, 46, 78, 79, 101, 102, 104, 123, 137, 284, 291, 293
 - subsidence, 78
- STRATIGRAPHY:**
- Arbuckle Mountains, south flank, general, 65
 - biostratigraphy: ammonoid zonation, Hale Formation, 153; chitinozoan zonation, Ordovician, 117; conodont zonation: Hale Formation, 153, 268, Mississippian, 153, 268, Wapanucka Formation, 96; fusulinid zonation, Wapanucka Formation, 96; gastropod zonation: Desmoinesian, 109, Kindblade Formation, 264; Henryhouse Formation, *Kirkidium* biofacies, 9; Hunton Group, Arkoma Basin, 8; Silurian–Devonian boundary, 8, 146
 - Cretaceous, Woodbine Formation, 112
 - Desmoinesian coals, 221
 - Foraker Limestone, 92
 - Hunton Group, Arkoma Basin, 8
 - lower Paleozoic, Ouachita Mountains, 172
 - Marchand sandstone, 231
 - Misener Sandstone, 22, 23, 24
 - Mississippian, general, 77
 - Mississippian–Pennsylvanian boundary, 58, 77
 - Morrow Formation, Texas County, 197
 - Noble County, general, 238
 - Ordovician–Silurian boundary, 8
 - Pennsylvanian, general, 77
 - Pennsylvanian–Permian boundary, 92, 297
 - Silurian–Devonian boundary, 8, 146
 - Southern Oklahoma Aulacogen, general, 284
 - Virgilian and Leonardian, Hollis–Hardeman Basin, 136
- STRUCTURAL GEOLOGY (includes tectonics):**
- Amarillo–Wichita Uplift, 284
 - Anadarko Basin, 14, 15, 54, 101, 102, 108, 128, 231, 284, 293
 - Arbuckle Anticline, 287, 289, 292, 293
 - Arbuckle Mountains, 61, 98, 137, 281, 284, 287, 288, 289, 290, 292, 293, 294, 295
 - Ardmore Basin, 78, 284, 292, 293
 - Arkoma Basin, 8, 291
 - base of Pennsylvanian, 138
 - Benton–Broken Bow Uplift, 291

- Blue Creek Canyon Horst and Fault, 16
 breccias, Arbuckle Mountains, 287
 Burch Fault, 35
 Central Oklahoma Fault Zone, 8
 Central Oklahoma Platform, 22, 181
 Choctaw Fault, 8
 Creek County, 22, 23, 24, 25
 Criner Arch, Criner Uplift, 284, 292
 Criner–Wichita Trend, 291
 Cushing Ridge, 22
 Dougherty Dome, 281
 El Reno lineament, 239
 Great Plains, general, 266
 Greenleaf anomaly, 59
 Hollis–Hardeman Basin, 136
 Hunton Arch, 8
 Hunton Group, Arkoma Basin, 8
 Kingfisher anomaly, 18, 226
 Kingston Syncline, 37
 Kiowa Syncline, 221
 Lawtonka “graben,” 16
 Limestone Hills, 16
 Lincoln County, 22, 23, 24, 25
 McClain County Fault, 129, 138
 Marchand Sandstone, 231
 Marietta Basin, 78, 284, 293
 Marshall County, 37
 Medford anomaly, 226
 Meers Fault, 16, 43
 Mervine Anticline, 94
 Midcontinent geophysical anomaly, 18, 59, 226
 Mid-Continent Gravity High, 184
 Morrowan, Texas County, 58
 Muenster–Waurika Arch, 170, 171, 284, 293
 Nemaha Ridge, Nemaha Uplift, 15, 26, 94, 129, 134, 135, 138
 Noble County, general, 238
 Oklahoma City Uplift and Fault, 129, 138
 Oklahoma–Louisiana–Gulf Coast lineament, 239
 Oswego–Wewoka–Wapanucka Formations, 138
 Ouachita Mountains, 10, 12, 46, 54, 128, 172, 184, 284, 291, 299
 Overbrook Anticline, 292
 Pauls Valley Uplift, 15
 Precambrian rift system, 59
 Preston Anticline, 37
 Reagan Fault, 288, 289, 290, 292, 294
 Seminole–Cushing Ridge, 138
 Southern Oklahoma Aulacogen, 15, 16, 46, 78, 79, 101, 102, 104, 123, 137, 284, 291, 293
 Stony Point Fault Zone, 43
 strain analysis, Winfield Limestone, 94
 Sylvan Shale, Arkoma Basin, 8
 Tishomingo–Belton Anticlines, 61
 Trans-Oklahoma lineament, 239
 Tri-State area, 26
 Viola Formation, 138
 Washita Valley Fault, 15, 287, 288, 289, 290, 292, 293
 Wayne Fault, 15
 Wichita Mountains, 15, 16, 35, 36, 42, 43, 101, 102, 104, 128, 137, 184, 284, 293
 Wilzetta Fault, 22, 135, 138
- Woodford Shale, Arkoma Basin, 8
 Woods County, lineament swarm, 239
- TERTIARY:**
- Pleistocene: Pearlette rhyolite, 31
 - Pliocene: Ogallala Formation, 30, 31, 98, 113, 131, 132, 274, 286
- TRI-STATE AREA:**
- hydrology: radionuclides in ground water, 147; Roubidoux aquifer, 147, 148
 - lead and zinc, 26, 77, 187
 - mineral exploration, 26
- URANIUM:**
- assessment report, 292
 - Carlton Rhyolite, 44
 - Cement district, 2, 44, 272
 - Clinton and Lawton Quadrangles, 93
 - Dalhart Quadrangle, 167
 - Hennessey Group, 44, 185, 186
 - Hollis–Hardeman Basin, 136
 - hydrogeochemical and stream-sediment studies, 44, 131, 167, 185, 186, 269
 - Lawton Quadrangle, 44
 - migration from volcanic-ash deposits, 31
 - mineralization, 31
 - Oklahoma City Quadrangle, 269
 - Permian and Pennsylvanian sandstones and shales, 2, 44, 170, 171, 272
 - Post Oak Conglomerate, 44, 185, 186
 - Red River region, 44
 - Wichita Granite Group, 44
 - Wichita Uplift, 44, 185, 186
 - volcanic ash, 31
- WICHITA MOUNTAINS:**
- amphiboles in granites, 229
 - basement rocks, lithostratigraphy, 209
 - Blue Creek Canyon Fault and Horst, 16, 43
 - Burch Fault, 35
 - conodonts, Arbuckle Group, 161
 - gabbroic rocks, 208
 - hydrogeochemical ground-water and stream-sediment studies, 44, 185, 186
 - igneous intrusive rocks, 137
 - Kindblade Formation, gastropods, 264
 - Limestone Hills, 16
 - Meers Fault, 16, 43
 - Raggedy Mountain Gabbro Group, 1
 - relation of magmatism to rifting, 104
 - Saddle Mountain, 16
 - sedimentology, 4
 - seismicity, 35, 36
 - source of Muenster–Waurika Arch sediments, 171
 - source of Palo Duro Basin sediments, 101
 - source of Pennsylvanian and Permian uranium deposits, 272
 - source of Post Oak sediments, 4
 - Stony Point Fault Zone, 43
 - structure and tectonics, 15, 16, 35, 36, 42, 43, 101, 102, 104, 128, 137, 284, 293
 - uranium content of waters, 44
 - Wichita granites: geochemistry, 180, 229
 - Wreford Megacyclothem, 242